

929265



Solutia Inc.
575 Maryville Centre Drive
St. Louis, Missouri 63141

Tel: 314-674-3312
Fax: 314-674-8808

gmrina@eastman.com

April 17, 2015

Ms. Carolyn Bury - LU-9J
U.S. EPA Region 5
Corrective Action Section
77 West Jackson Boulevard
Chicago, IL 60604-3507

Re: PCB Groundwater Quality Assessment Program
1st Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL

Dear Ms. Bury:

Enclosed please find the PCB Groundwater Quality Assessment Program 1st Quarter 2015 Data Report for Solutia Inc.'s W. G. Krummrich Plant, Sauget, IL.

If you have any questions or comments regarding this report, please contact me at (314) 674-3312 or gmrina@eastman.com

Sincerely,

A handwritten signature in blue ink that reads "Gerald M. Rinaldi".

Gerald M. Rinaldi
Manager, Remediation Services

Enclosure

cc: Distribution List

DISTRIBUTION LIST

**PCB Groundwater Quality Assessment Program
1st Quarter 2015 Data Report
Solutia Inc., W. G. Krummrich Plant, Sauget, IL**

USEPA

Stephanie Linebaugh
USEPA Region 5 - SR6J, 77 West Jackson Boulevard, Chicago, IL 60604

Solutia

Donn Haines 500 Monsanto Avenue, Sauget, IL 62206-1198



GROUNDWATER MONITORING REPORT

**PCB GROUNDWATER QUALITY
ASSESSMENT PROGRAM
SOLUTIA INC., W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS**

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

April 2015

140-3345

A world of
capabilities
delivered locally





TABLE OF CONTENTS

| | | |
|-----|---|---|
| 1.0 | INTRODUCTION..... | 1 |
| 2.0 | FIELD ACTIVITIES | 2 |
| 2.1 | Water Level Measurement..... | 2 |
| 2.2 | Groundwater Sample Collection | 2 |
| 2.3 | Quality Assurance and Sample Handling | 3 |
| 2.4 | Decontamination and Investigation Derived Waste | 4 |
| 3.0 | QUALITY ASSURANCE | 4 |
| 4.0 | OBSERVATIONS..... | 5 |
| 4.1 | Shallow Hydrogeologic Unit | 5 |
| 4.2 | Middle/Deep Hydrogeologic Unit..... | 5 |
| 4.3 | Mann-Kendall Trend Analysis | 5 |
| 5.0 | CLOSING | 6 |
| 6.0 | REFERENCES..... | 7 |

List of Figures

- Figure 1 Site Location Map
- Figure 2 Former PCB Manufacturing Area Monitoring Well Locations
- Figure 3 Potentiometric Surface Map Middle/Deep Hydrogeologic Unit
- Figure 4 PCB Results (SHU)
- Figure 5 PCB Results (MHU/DHU)

List of Tables

- Table 1 Monitoring Well Gauging Information
- Table 2 Groundwater Analytical Results
- Table 3 Mann-Kendall Trend Analysis

List of Appendices

- Appendix A Groundwater Purging and Sampling Forms
- Appendix B Chains-of-Custody
- Appendix C Quality Assurance Report
- Appendix D Groundwater Analytical Results (including data validation reports)



1.0 INTRODUCTION

Golder Associates Inc. (Golder) is pleased to submit this report summarizing the 1st Quarter 2015 (1Q15) PCB groundwater sampling activities at the Solutia Inc. (Solutia) W.G. Krumrich (WGK) facility (Site) in Sauget, Illinois. The facility is located at 500 Monsanto Avenue, Sauget, Illinois as shown on Figure 1. The 1Q15 sampling event was performed in general accordance with the Revised PCB Groundwater Quality Assessment Program Work Plan (Work Plan) (Solutia 2009).

The scope of work detailed in the Work Plan is summarized below.

Ten (10) monitoring wells are sampled during the PCB event. The locations of the monitoring wells are shown on Figure 2 and the sample locations are included in the table below.

| Area | Location Relative to Area | Sample Identification |
|--------------------------|---------------------------|-----------------------|
| Former PCB Manufacturing | Source Area Well | PMA-MW-4S |
| | | PMA-MW-4D |
| | Downgradient | PMA-MW-1S |
| | | PMA-MW-1M |
| | | PMA-MW-2S |
| | | PMA-MW-2M |
| | | PMA-MW-3S |
| | | PMA-MW-3M |
| | | PMA-MW-5M |
| | | PMA-MW-6D |

Water levels in the monitoring wells are measured quarterly and total depths are measured in the 1st quarter of each year.

During the quarterly sampling events, monitoring wells are sampled for the following polychlorinated biphenyl (PCB) isomer groups or homologs: monochlorobiphenyl; dichlorobiphenyl; trichlorobiphenyl; tetrachlorobiphenyl; pentachlorobiphenyl; hexachlorobiphenyl; heptachlorobiphenyl; octachlorobiphenyl; nonachlorobiphenyl; and decachlorobiphenyl.



2.0 FIELD ACTIVITIES

Golder conducted 1Q15 sampling events on February 9, 2015. Activities were performed in general accordance with the Work Plan.

2.1 Water Level Measurement

Prior to sampling during the 1Q15 event, Golder performed a synoptic round of water level measurements at 77 monitoring wells and piezometers on January 29 and January 30, 2015. The following monitoring well and piezometer series are included in the PCB program:

- BSA-series
- CPA-series
- GM-series
- K-series
- PS-MW-series
- PMA-series
- Piezometer clusters installed for Saugat Area 2 RI/FS and WGK CA-750 Environmental Indicator projects

An oil/water interface probe was used to measure the water level (to 0.01 feet) and, if present, detect and measure the thickness of non-aqueous phase liquid (NAPL). During the 1Q15 sampling event, NAPL was not detected in monitoring wells or piezometers. Total depths were measured during the 1Q15 event. The 1Q15 well gauging information is shown on Table 1. The information collected from the Middle Hydrogeologic Unit (MHU) and the Deep Hydrogeologic Unit (DHU) was used to create a groundwater potentiometric surface map, as shown on Figure 3. The MHU and DHU are the primary migration pathways for constituents present in the groundwater at the Site.

2.2 Groundwater Sample Collection

Monitoring wells sampled during the 1Q15 PCB event were purged and sampled using low-flow sampling techniques, low-density polyethylene tubing (LDPE) and a submersible pump. The pump intake was placed at approximately the middle of the screened interval for each well. Purging was conducted at a rate of approximately 300 mL/min to reduce drawdown. Drawdown was measured throughout purging activities to ensure that it did not exceed 25% of the distance between the pump intake and the top of the screen. Measurement of field parameters began once the flow rate and drawdown were stable. Parameters were measured for each system volume purged using a SmartTROLL™ multi-parameter meter. The system volume includes the volume of the tubing, the volume of the pump and the volume of flow-through cell containing multi-parameter device. Samples were collected after field parameters were stabilized within the ranges below for three (3) consecutive measurements:



- Dissolved Oxygen (DO): +/- 10% or +/- 0.2 mg/L, whichever is greatest
- Oxidation-Reduction Potential (ORP): +/- 20 mV
- pH: +/- 0.2 standard units
- Specific Conductivity: +/- 3%

The flow rate was adjusted as needed to maintain approximately 300 mL/min during sampling activities. To reduce possible sample cross contamination, the flow-through cell was bypassed and gloves were replaced prior to sampling.

Sample bottles were provided by TestAmerica Laboratories, Inc. (TestAmerica) for analysis of PCBs by United States Environmental Protection Agency (USEPA) Method 680. Groundwater purging and sampling forms are included in Appendix A.

2.3 Quality Assurance and Sample Handling

One (1) analytical duplicate (AD), one (1) equipment blank (EB) and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were collected during the 1Q15 PCB sampling event. Sample bottles were labeled with the date and time of sample collection, sampler initials, analysis requested, preservative used, and sample identification based on the following nomenclature “PMA-MW#-MMYY-QA/QC” where:

- “**PMA**” denotes “PCB Manufacturing Area” and “**MW#**” denotes monitoring well number
- “**MMYY**” denotes month and year of sampling quarter, e.g.: February (1st quarter), 2015 (0215)
- “**QA/QC**” denotes QA/QC sample
 - **AD** – Analytical Duplicate
 - **EB** – Equipment Blank
 - **MS or MSD** – Matrix Spike or Matrix Spike Duplicate

Sample information was recorded on a chain-of-custody (COC) that included project identification, sample identification, date and time of sample collection, analysis requested, preservative used, sample matrix and type, number of sample containers, sampler signature, and date COC was completed. Copies of the COCs are included in Appendix B.

Directly after sampling, sample bottles were placed in an iced cooler to maintain a sample temperature of approximately 4°C. Prior to sample shipment, samples and ice were placed inside two (2) contractor trash bags. The bags were tied and the cooler was sealed between the lid and sides with a signed and dated custody seal. Samples were shipped overnight via FedEx to the TestAmerica facility in Savannah, Georgia.



2.4 Decontamination and Investigation Derived Waste

Sampling equipment was decontaminated prior to mobilizing to the Site, between sample locations and prior to demobilizing from the Site. Non-dedicated sampling equipment was decontaminated between samples with a non-phosphatic detergent solution and a deionized water rinse.

Investigation derived waste (IDW) was placed in 55-gallon drums, labeled with the generation date and staged for disposal by Solutia. IDW such as gloves and other disposable sampling equipment was bagged for disposal by Solutia.

3.0 QUALITY ASSURANCE

Sample results were provided by the TestAmerica laboratory in electronic format and reviewed for quality and completeness by Golder in accordance with the Work Plan. Sample results are included in Appendix D. Results were submitted in one (1) sample delivery group (SDG) as follows:

| Sample Delivery Group (SDG) | Sample Identification |
|-----------------------------|-----------------------|
| KPM064 | PMA-MW-1M-0215 |
| | PMA-MW-1S-0215 |
| | PMA-MW-2M-0215 |
| | PMA-MW-2M-0215-AD |
| | PMA-MW-2S-0215 |
| | PMA-MW-2S-0215-EB |
| | PMA-MW-3M-0215 |
| | PMA-MW-3S-0215 |
| | PMA-MW-4D-0215 |
| | PMA-MW-4S-0215 |
| | PMA-MW-5M-0215 |
| | PMA-MW-6D-0215 |

Golder completed validation of the analytical data following the general guidelines in Section 3.4 Data Review and Validation of the Work Plan. The Work Plan specifies that the most recent version of the national data validation guidelines be used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008

Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. The completeness for the data set was 100%.



4.0 OBSERVATIONS

Groundwater analytical data for the 1Q15 PCB event is discussed below and presented in Table 2. Sample results are also shown for the SHU and the MHU/DHU in Figures 4 and 5, respectively.

4.1 Shallow Hydrogeologic Unit

Historically dense non-aqueous phase liquid (DNAPL) has been periodically detected in PMA-MW-4S, located in the former PCB Manufacturing Area. DNAPL was not detected in PMA-MW-4S during the 1Q15 event. A groundwater sample was collected at PMA-MW-4S and PCBs were detected at a concentration of 77.7 µg/L. PCBs were not detected in two (2) of three (3) monitoring wells in the SHU downgradient of the former PCB Manufacturing Area (PMA-MW-1S and PMA-MW-2S).

4.2 Middle/Deep Hydrogeologic Unit

PCBs were detected in four (4) of the six (6) monitoring wells located in the MHU and DHU. Results are summarized below.

- Former PCB Manufacturing Area: PCBs were detected at a concentration of 0.59 µg/L in PMA-MW-4D.
- Downgradient of Former PCB Manufacturing Area: PCBs were detected in three (3) of five (5) monitoring wells downgradient of the former PCB Manufacturing Area at concentrations of 4.7 µg/L / 3.9 µg/L (PMA-MW-2M and AD), and 0.76 µg/L (PMA-MW-3M) and 0.22 µg/L (PMA-MW-6D). PCBs were not detected in PMA-MW-1M, and PMA-MW-5M.

4.3 Mann-Kendall Trend Analysis

Mann-Kendall trend analyses of total PCBs in groundwater samples from select monitoring wells within (PMA-MW-4D) or downgradient (PMA-MW-1M, -2M, -3S, -3M, and -6D) of the former PCB Manufacturing Area were performed. Results are shown on Table 3. The trends using analytical data from the 1Q15 PCB event appeared similar to historical trends. There was an increasing trend in PCB concentrations at monitoring wells PMA-MW-1M, PMA-MW-2M and PMA-MW-4D. Concentrations of PCBs show either no trend or stable at monitoring wells PMA-MW-3S, PMA-MW-3M and PMA-MW-6D.



5.0 CLOSING

Golder appreciates the opportunity to assist Solutia Inc. with the PCB Groundwater Quality Assessment Program sampling events. Please contact the undersigned if you need additional information.

Sincerely,

GOLDER ASSOCIATES INC.

Lori A. Bindner
Geological Engineer

Amanda W. Derhake, Ph.D., P.E.
Senior Project Engineer

Mark N. Haddock, R.G., P.E.
Associate, Senior Consultant





6.0 REFERENCES

Solutia Inc, 2009. Revised PCB Groundwater Quality Assessment Program Work Plan, W.G. Krummrich Facility, Sauget, IL, Prepared by URS Corporation, May 2009.

USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

FIGURES





D:\H\H\Public\Documents\Projects\140-3345\Soil & GW Sampling\Wells\Wells.dwg | File Name: 140-3345_Wells.dwg

LEGEND



NOTES

1. REFER TO TABLE 1 FOR MONITORING WELL CONSTRUCTION INFORMATION.

0 250 500
SCALE FEET

CLIENT
SOLUTIA INC.
W.G. KRUMRICH FACILITY
SAUGET, ILLINOIS

CONSULTANT

| | |
|------------|------------|
| YYYY-MM-DD | 2015-03-05 |
| PREPARED | LAB |
| DESIGN | LAB |
| REVIEW | AWD |
| APPROVED | MNH |




PROJECT
PCB GROUNDWATER QUALITY ASSESSMENT
1ST QUARTER 2015 DATA REPORT

TITLE
**FORMER PCB MANUFACTURING AREA
MONITORING WELL LOCATIONS**

PROJECT No.
140-3345

PHASE:
0020

Rev.
0



D:\Data\Water\Groundwater\Projects\140-3345\SoilNet GN Sampling\WGK Plant - IL\Figures\1Q5\Ground.mxd | File Name: 140-3345_GND.mxd

LEGEND

- LONG-TERM MONITORING WELL USED FOR GROUNDWATER CONTOURING
- ◆ OTHER MONITORING WELL USED FOR GROUNDWATER CONTOURING
- ▲ PIEZOMETER CLUSTER USED FOR GROUNDWATER CONTOURING
- CPA MONITORING WELL USED FOR GROUNDWATER CONTOURING
- ◆ IDOT GROUNDWATER WELL
- APPROXIMATE GROUNDWATER ELEVATION CONTOUR (FT NAVD)

0 500 1000
SCALE FEET

CLIENT
SOLUTIA INC.
W.G. KRUMMICH FACILITY
SAUGET, ILLINOIS

CONSULTANT




| | |
|------------|------------|
| YYYY-MM-DD | 2015-03-05 |
| PREPARED | LAB |
| DESIGN | LAB |
| REVIEW | AWD |
| APPROVED | MNH |

PROJECT
PCB GROUNDWATER QUALITY ASSESSMENT
1ST QUARTER 2015 DATA REPORT

TITLE
POTENTIOMETRIC SURFACE MAP
MIDDLE/DEEP HYDROGEOLOGIC UNIT

PROJECT No. 140-3345 PHASE 0020 Rev. 0 FIGURE: 3



D:\B\K\Krummrich\140-3345\Soil & GW Sampling\Wells\140-3345_1Q15.dwg | File Name: 140-3345_1Q15.dwg

LEGEND



PCB MONITORING WELL LOCATION

NOTES

1. TOTAL PCB RESULTS INCLUDE THE SUM OF ALL METHOD 680 HOMOLOGS.
2. RESULTS SHOWN ARE IN $\mu\text{g}/\text{L}$.
3. ND - NOT DETECTED.

0 150 300
SCALE FEET

CLIENT
SOLUTIA INC.
W.G. KRUMMICH FACILITY
SAUGET, ILLINOIS

CONSULTANT



YYYY-MM-DD 2015-03-05
PREPARED LAB
DESIGN LAB
REVIEW AWD
APPROVED MNH


PROJECT
PCB GROUNDWATER QUALITY ASSESSMENT
1ST QUARTER 2015 DATA REPORT

TITLE
PCB RESULTS
SHALLOW HYDROGEOLOGIC UNIT

PROJECT No. 140-3345 PHASE: 0020 Rev. 0

1 in IF THIS MEASUREMENT DOES NOT MATCH WHAT IS SHOWN, THE SHEET SIZE HAS BEEN MODIFIED FROM ANSI B

FIGURE: 4



LEGEND



PCB MONITORING WELL LOCATION

NOT

1. TOTAL PCB RESULTS INCLUDE THE SUM OF ALL METHOD 680 HOMOLOGS.
 2. RESULTS SHOWN ARE IN $\mu\text{g/L}$.
 3. ND - NOT DETECTED.
 4. MULTIPLE SAMPLE RESULTS INDICATE DUPLICATE SAMPLES.

A scale bar consisting of a horizontal line with three major tick marks labeled '0', '150', and '300' in micrometers.

1

CLIENT
SOLUTIA INC.
W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS

CONSULTA

| | | |
|------------|------------|------------|
| CONSULTANT | YYYY-MM-DD | 2015-03-05 |
| PREPARED | LAB | |
| DESIGN | LAB | |
| REVIEW | AWD | |
| APPROVED | MNH | |

1 / 1

PROJECT
PCB GROUNDWATER QUALITY ASSESSMENT
1ST QUARTER 2015 DATA REPORT

TITLE

PCB RESULTS MIDDLE/DEEP HYDROGEOLOGIC UNIT

— 1 —

PROJECT No. PHASE
140-3345 0020

1

Rev.
0

1

FIGURE 5

TABLES

Table 1
Monitoring Well Gauging Information
1Q15 PCB Groundwater Quality Assurance Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

| Well Identification | Monitoring Well Construction Data | | | | | | 1Q15 - January 29 and January 30, 2015 | | | |
|-------------------------------------|--|---|------------------------------|---------------------------------|---|--|--|-------------------------|------------------------------------|---|
| | Ground Surface Elevation ¹ (ft) | Top of Casing Elevation ¹ (ft) | Top of Screen Depth (ft bgs) | Bottom of Screen Depth (ft bgs) | Top of Screen Elevation ¹ (ft) | Bottom of Screen Elevation ¹ (ft) | Water Level (ft btoc) | Depth to NAPL (ft btoc) | Total Depth ² (ft btoc) | Water Level Elevation ¹ (ft) |
| SHU 395-380 ft NAVD 88 | | | | | | | | | | |
| PMA-MW-1S | 410.30 | 410.06 | 20.18 | 25.18 | 390.12 | 385.12 | 14.95 | NP | 24.93 | 395.11 |
| PMA-MW-2S | 412.27 | 411.66 | 22.94 | 27.94 | 389.33 | 384.33 | 17.41 | NP | 27.34 | 394.25 |
| PMA-MW-3S | 412.37 | 412.06 | 22.71 | 27.71 | 389.66 | 384.66 | 17.55 | NP | 27.40 | 394.51 |
| PMA-MW-4S | 411.09 | 410.43 | 20.99 | 25.99 | 390.10 | 385.10 | 15.57 | NP | 25.38 | 394.86 |
| MHU 380-350 ft NAVD 88 | | | | | | | | | | |
| PMA-MW-1M | 410.32 | 410.08 | 54.54 | 59.54 | 355.78 | 350.78 | 16.00 | NP | 59.60 | 394.08 |
| PMA-MW-2M | 412.26 | 411.93 | 56.87 | 61.87 | 355.39 | 350.39 | 17.75 | NP | 61.27 | 394.18 |
| PMA-MW-3M | 412.36 | 412.10 | 57.07 | 62.07 | 355.29 | 350.29 | 17.83 | NP | 61.81 | 394.27 |
| PMA-MW-5M | 411.27 | 410.97 | 52.17 | 57.17 | 359.10 | 354.10 | 16.89 | NP | 56.98 | 394.08 |
| PS-MW-1M | 409.37 | 412.59 | 37.78 | 42.78 | 371.59 | 366.59 | 17.44 | NP | 46.05 | 395.15 |
| DHU 350 ft NAVD 88 - Bedrock | | | | | | | | | | |
| BSA-MW-2D | 412.00 | 415.13 | 68.92 | 73.92 | 343.08 | 338.08 | 23.96 | NP | 77.00 | 391.17 |
| BSA-MW-3D | 412.91 | 415.74 | 107.02 | 112.02 | 305.89 | 300.89 | 27.14 | NP | 114.75 | 388.6 |
| BSA-MW-4D | 425.00 | 424.69 | 118.54 | 123.54 | 306.46 | 301.46 | 37.75 | NP | 123.12 | 386.94 |
| BSA-MW-5D | 420.80 | 420.49 | 115.85 | 120.85 | 304.95 | 299.95 | 33.70 | NP | 120.89 | 386.79 |
| CPA-MW-1D | 408.62 | 412.23 | 66.12 | 71.12 | 342.50 | 337.50 | 17.69 | NP | 74.69 | 394.54 |
| CPA-MW-2D | 408.51 | 408.20 | 99.96 | 104.96 | 308.55 | 303.55 | 15.64 | NP | 104.56 | 392.56 |
| CPA-MW-3D | 410.87 | 410.67 | 108.20 | 113.20 | 302.67 | 297.67 | 19.00 | NP | 112.76 | 391.67 |
| CPA-MW-4D | 421.57 | 421.20 | 116.44 | 121.44 | 305.13 | 300.13 | 33.21 | NP | 120.98 | 387.99 |
| CPA-MW-5D | 411.03 | 413.15 | 107.63 | 112.63 | 303.40 | 298.40 | 28.20 | NP | 114.64 | 384.95 |
| DNAPL-K-1 | 413.07 | 415.56 | 108.20 | 123.20 | 304.87 | 289.87 | 20.12 | NP | 123.10 | 395.44 |
| DNAPL-K-2 | 407.94 | 407.72 | 97.63 | 112.63 | 310.31 | 295.31 | 13.46 | NP | 112.40 | 394.26 |
| DNAPL-K-3 | 412.13 | 415.91 | 104.80 | 119.80 | 307.33 | 292.33 | 21.21 | NP | 123.28 | 394.7 |
| DNAPL-K-4 | 409.48 | 412.53 | 102.55 | 117.55 | 306.93 | 291.93 | 18.47 | NP | 118.21 | 394.06 |
| DNAPL-K-5 | 412.27 | 411.91 | 102.15 | 117.15 | 310.12 | 295.12 | 17.16 | NP | 116.54 | 394.75 |
| DNAPL-K-6 | 410.43 | 410.09 | 102.47 | 117.47 | 307.96 | 292.96 | 16.18 | NP | 116.87 | 393.91 |
| DNAPL-K-7 | 408.32 | 407.72 | 100.40 | 115.40 | 307.92 | 292.92 | 14.32 | NP | 115.31 | 393.4 |
| DNAPL-K-8 | 408.56 | 411.38 | 102.65 | 117.65 | 305.91 | 290.91 | 18.52 | NP | 117.56 | 392.86 |
| DNAPL-K-9 | 406.45 | 405.97 | 97.42 | 112.42 | 309.03 | 294.03 | 12.95 | NP | 111.05 | 393.02 |
| DNAPL-K-10 | 413.50 | 413.25 | 105.43 | 120.43 | 308.07 | 293.07 | 18.47 | NP | 120.26 | 394.78 |
| DNAPL-K-11 | 412.20 | 411.78 | 105.46 | 120.46 | 306.74 | 291.74 | 18.35 | NP | 120.18 | 393.43 |
| GM-9C | 409.54 | 411.21 | 88.00 | 108.00 | 321.54 | 301.54 | 17.10 | NP | 108.23 | 394.11 |
| GWE-1D | 412.80 | 415.60 | 117.00 | 127.00 | 295.80 | 285.80 | 31.44 | NP | 128.22 | 384.16 |
| GWE-2D | 417.45 | 417.14 | 127.00 | 137.00 | 290.45 | 280.45 | 31.40 | NP | 136.59 | 385.74 |
| GWE-3D | 415.03 | 417.66 | 104.60 | 114.60 | 313.06 | 303.06 | 29.39 | NP | 114.88 | 388.27 |
| GWE-4D | 406.05 | 405.74 | 74.00 | 80.00 | 332.05 | 326.05 | 15.59 | NP | 78.75 | 390.15 |
| GWE-5D | 408.79 | 408.38 | 100.43 | 105.43 | 308.36 | 303.36 | 19.57 | NP | 105.14 | 388.81 |
| GWE-10D | 410.15 | 412.87 | 102.50 | 112.50 | 307.65 | 297.65 | 20.54 | NP | 114.81 | 392.33 |
| GWE-14D | 420.47 | 422.90 | 90.00 | 96.00 | 330.47 | 324.47 | 35.89 | NP | 97.00 | 387.01 |
| PMA-MW-4D | 411.22 | 410.88 | 68.84 | 73.84 | 342.38 | 337.38 | 16.35 | NP | 73.38 | 394.53 |
| PMA-MW-6D | 407.63 | 407.32 | 96.49 | 101.49 | 311.14 | 306.14 | 14.24 | NP | 101.22 | 393.08 |
| PS-MW-6D | 404.11 | 406.63 | 102.32 | 107.32 | 304.31 | 299.31 | 17.54 | NP | 109.81 | 389.09 |
| PS-MW-9D | 403.92 | 403.52 | 100.40 | 105.40 | 303.52 | 298.52 | 11.87 | NP | 105.00 | 391.65 |
| PS-MW-10D | 409.63 | 412.18 | 103.78 | 108.78 | 308.40 | 303.40 | 25.35 | NP | 111.25 | 386.83 |
| PS-MW-13D | 405.80 | 405.53 | 106.08 | 111.08 | 299.72 | 294.72 | 16.65 | NP | 110.55 | 388.88 |
| PS-MW-17D | 420.22 | 423.26 | 121.25 | 126.25 | 298.97 | 293.97 | 37.92 | NP | 133.90 | 385.34 |

Notes

ft - feet

bgs - below ground surface

btoc - below top of casing

NP - no product observed

NR - not reported

SHU - shallow hydrogeologic unit

MHU - middle hydrogeologic unit

DHU - deep hydrogeologic unit

¹ - Elevations based on North American Vertical Datum (NAVD) 88 datum.

² - Total depths are measured annually during the first quarter of each year.

Prepared By: LAB 2/18/2015

Checked By: PJJ 2/18/2015

Reviewed By: AWD 3/17/2015

Table 2
Groundwater Analytical Results
1Q15 PCB Groundwater Quality Assurance Program
Solutia Inc., W.G. Krummrich Facility
Sauget, Illinois

| Sample Identification | Sample Date | PCBs (µg/L) | | | | | | | | | |
|-----------------------|-------------|--------------------|------------------|-------------------|---------------------|---------------------|--------------------|---------------------|--------------------|--------------------|--------------------|
| | | Monochlorobiphenyl | Dichlorobiphenyl | Trichlorobiphenyl | Tetrachlorobiphenyl | Pentachlorobiphenyl | Hexachlorobiphenyl | Heptachlorobiphenyl | Octachlorobiphenyl | Nonachlorobiphenyl | Decachlorobiphenyl |
| SHU | | | | | | | | | | | |
| PMA-MW-1S-0215 | 2/9/2015 | <0.10 | <0.10 | <0.10 | <0.21 | <0.21 | <0.21 | <0.31 | <0.31 | <0.52 | <0.52 |
| PMA-MW-2S-0215 | 2/9/2015 | <0.11 | <0.11 | <0.11 | <0.22 | <0.22 | <0.22 | <0.33 | <0.33 | <0.55 | <0.55 |
| PMA-MW-3S-0215 | 2/9/2015 | 0.39 | 0.12 | <0.11 | <0.21 | <0.21 | <0.21 | <0.32 | <0.32 | <0.53 | <0.53 |
| PMA-MW-4S-0215 | 2/9/2015 | 1.7 JD | 7.0 JD | 13 JD | 14 JD | 10 JD | 17 JD | 15 JD | <3.1 | <5.2 | <5.2 |
| MHU/DHU | | | | | | | | | | | |
| PMA-MW-1M-0215 | 2/9/2015 | <1.1 | <1.1 | <1.1 | <2.1 | <2.1 | <2.1 | <3.2 | <3.2 | <5.3 | <5.3 |
| PMA-MW-2M-0215 | 2/9/2015 | 4.7 JD | <1.1 | <1.1 | <2.2 | <2.2 | <2.2 | <3.3 | <3.3 | <5.5 | <5.5 |
| PMA-MW-2M-0215-AD | 2/9/2015 | 3.9 JD | <1.1 | <1.1 | <2.2 | <2.2 | <2.2 | <3.3 | <3.3 | <5.5 | <5.5 |
| PMA-MW-3M-0215 | 2/9/2015 | 0.76 | <0.11 | <0.11 | <0.22 | <0.22 | <0.22 | <0.33 | <0.33 | <0.54 | <0.54 |
| PMA-MW-4D-0215 | 2/9/2015 | <0.11 | 0.59 J | <0.11 | <0.21 | <0.21 | <0.21 | <0.32 | <0.32 | <0.53 | <0.53 |
| PMA-MW-5M-0215 | 2/9/2015 | <0.10 | <0.10 | <0.10 | <0.20 | <0.20 | <0.20 | <0.30 | <0.30 | <0.50 | <0.50 |
| PMA-MW-6D-0215 | 2/9/2015 | 0.22 J | <0.11 | <0.11 | <0.21 | <0.21 | <0.21 | <0.32 | <0.32 | <0.53 | <0.53 |

Notes

PCBs - polychlorinated biphenyls

µg/L - micrograms per liter

< - result is non-detect, less than the reporting limit

J - result is an estimated value

D - compound analyzed at a dilution

JD - compound is analyzed at a dilution; result is an estimated value

AD - analytical duplicate

Bold - indicates concentration greater than reporting limit

SHU - shallow hydrogeologic unit

MHU - middle hydrogeologic unit

DHU - deep hydrogeologic unit

Prepared By: LAB 3/4/2015

Checked By: EPW 3/13/2015

Reviewed By: AWD 3/17/2015

Table 3
Mann-Kendall Trend Analysis
1Q15 PCB Groundwater Quality Assessment Program
W.G. Krummrich Facility
Sauget, IL

| Event Number | Quarter | Total PCB Concentration ($\mu\text{g/L}$) | | | | | |
|----------------------------------|---------|---|------------|-----------|-----------|------------|-----------|
| | | PMA-MW-1M | PMA-MW-2M | PMA-MW-3S | PMA-MW-3M | PMA-MW-4D | PMA-MW-6D |
| 1 | 2Q06 | ND | 2.3 | 0.66 | 5.18 | NA | NA |
| 2 | 3Q06 | 0.24 | 2.4 | 0.32 | 1.9 | 0.34 | NA |
| 3 | 4Q06 | 0.21 | 2.8 | 0.2 | ND | 0.1 | NA |
| 4 | 1Q07 | 0.17 | 2.1 | 0.35 | 0.77 | 2.07 | NA |
| 5 | 2Q07 | 0.26 | 3.3 | 0.8 | ND | 0.33 | NA |
| 6 | 3Q07 | 0.29 | 2.5 | 0.3 | 0.86 | 0.5 | NA |
| 7 | 4Q07 | 48 | 3.1 | 0.21 | 0.76 | 0.35 | NA |
| 8 | 1Q08 | ND | 1.7 | 0.25 | 0.39 | 0.23 | NA |
| 9 | 2Q08 | 0.18 | 3.0 | 0.64 | 0.92 | 0.27 | NA |
| 10 | 3Q08 | 0.38 | 4.3 | 0.26 | 1.3 | 0.44 | 0.21 |
| 11 | 4Q08 | 0.26 | 2.5 | 0.24 | 0.71 | 0.27 | 0.43 |
| 12 | 1Q09 | 0.16 | 2.9 | 0.79 | 1.4 | 2.73 | 0.32 |
| 13 | 2Q09 | 0.21 | 4.14 | ND | 1.3 | 0.59 | 0.29 |
| 14 | 3Q09 | 0.27 | 3.1 | 0.34 | 0.85 | 0.37 | 0.2 |
| 15 | 4Q09 | 0.27 | 2.7 | 2.03 | 0.85 | 0.61 | 0.3 |
| 16 | 1Q10 | 0.2 | 2.4 | ND | 0.87 | 0.54 | 0.19 |
| 17 | 2Q10 | ND | 3.9 | 0.63 | 0.82 | 0.72 | 0.33 |
| 18 | 3Q10 | 0.29 | 2.1 | 0.28 | 0.75 | 0.42 | 0.1 |
| 19 | 4Q10 | 0.31 | 2.199 | 0.68 | 0.73 | 0.31 | 0.65 |
| 20 | 1Q11 | 0.59 | 4.04 | 0.71 | 1.2 | 0.35 | 0.22 |
| 21 | 2Q11 | 0.37 | 3.7 | 0.23 | 0.94 | 1.03 | 0.18 |
| 22 | 3Q11 | 0.35 | 4.52 | 0.13 | 1.1 | 1.1 | ND |
| 23 | 4Q11 | 0.52 | 2.7 | 0.46 | 0.92 | 0.54 | 0.72 |
| 24 | 1Q12 | 0.3 | 3.7 | 1.12 | 1.3 | 0.92 | 0.19 |
| 25 | 2Q12 | 0.48 | 4.79 | 1.19 | 1.2 | 1.47 | 0.22 |
| 26 | 3Q12 | 0.31 | 3.52 | 0.46 | 0.95 | 0.4 | 0.16 |
| 27 | 4Q12 | 0.38 | 4.4 | 0.21 | 0.69 | 0.35 | 0.11 |
| 28 | 1Q13 | 0.36 | 3.7 | 0.66 | 1.22 | 1.31 | 0.19 |
| 29 | 2Q13 | 0.32 | 3.2 | ND | 0.23 | 0.92 | 0.23 |
| 30 | 3Q13 | 0.59 | 5.8 | 0.35 | 2.1 | 0.97 | 0.2 |
| 31 | 4Q13 | 0.34 | 3.3 | 0.16 | 0.48 | 0.7 | 0.11 |
| 32 | 1Q14 | 0.54 | 5.9 | 0.48 | 0.72 | 1.5 | 0.23 |
| 33 | 2Q14 | 0.43 | 3.9 | ND | 0.84 | 1.43 | 0.21 |
| 34 | 3Q14 | 0.59 | 5.4 | 1.86 | 1.0 | 1.68 | 0.72 |
| 35 | 4Q14 | 0.36 | 3.9 | ND | 0.88 | 1.39 | 0.71 |
| 36 | 1Q15 | ND | 4.7 | 0.51 | 0.76 | 0.59 | 0.22 |
| Coefficient of Variation | | 4.61 | 0.31 | 0.81 | 0.75 | 0.74 | 0.65 |
| Mann-Kendall Statistic (S) | | 234 | 286 | 47 | -58 | 244 | -14 |
| Confidence in Trend ¹ | | >99.9% | >99.9% | 78.1% | 80.0% | >99.9% | 61.2% |
| Concentration Trend | | Increasing | Increasing | No Trend | Stable | Increasing | Stable |

Notes

NA - not analyzed

ND - non-detect (values detected below the detection limit)

¹ - confidence (in percent) that constituent concentration is increasing ($S>0$) or decreasing ($S<0$)

> 90% - probably increasing or decreasing

> 95% - Increasing or Decreasing


Data from 2Q06 to 1Q14 was compiled by former consultant

Prepared By: LAB 3/4/2015

Checked By: EPW 3/13/2015

Reviewed By: AWD 3/17/2015

Table 3
Mann-Kendall Trend Analysis
1Q15 PCB Groundwater Quality Assessment Program
W.G. Krummrich Facility
Sauget, IL



**APPENDIX A
GROUNDWATER PURGING AND SAMPLING FORMS**



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 28.44 ft
Pump Placement from TOC 22.43 ft

Well Information:

Well Id PMA-MW-1S
Well Diameter 2 in
Well Total Depth 24.93 ft
Depth to Top of Screen 19.93 ft
Screen Length 5 ft
Depth to Water 16.13 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 349 mL
Calculated Sample Rate 69 sec
Sample Rate 83 sec
Stabilized Drawdown 0.00 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [μ S/cm] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|----------|----------|---------|--------------------|----------------|------------------|----------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 10:34:10 | 15.13 | 7.64 | 1289.77 | 1.75 | 0.88 | -17.97 |
| | 10:35:19 | 15.49 | 7.55 | 1270.27 | 1.34 | 1.01 | -14.83 |
| | 10:37:37 | 15.85 | 7.40 | 1270.24 | 1.17 | 1.05 | -12.08 |
| | 10:38:48 | 16.04 | 7.35 | 1262.77 | 1.21 | 1.00 | -9.92 |
| | 10:39:57 | 16.15 | 7.31 | 1268.82 | 1.00 | 0.94 | -8.88 |
| Variance in Last 3 Readings | | 0.36 | -0.15 | -0.03 | -0.17 | 0.04 | 2.75 |
| | | 0.19 | -0.05 | -7.47 | 0.04 | -0.05 | 2.16 |
| | | 0.11 | -0.04 | 6.05 | -0.21 | -0.06 | 1.04 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 62.80 ft
Pump Placement from TOC 57.10 ft

Well Information:

Well Id PMA-MW-1M
Well Diameter 2 in
Well Total Depth 59.60 ft
Depth to Top of Screen 54.60 ft
Screen Length 5 ft
Depth to Water 16.13 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 540 mL
Calculated Sample Rate 129 sec
Sample Rate 129 sec
Stabilized Drawdown 0.06 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [μ S/cm] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|----------|----------|---------|--------------------|----------------|------------------|----------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 10:09:54 | 15.55 | 7.31 | 2085.91 | 6.00 | 0.21 | -13.44 |
| | 10:11:42 | 15.60 | 7.23 | 2085.20 | 6.55 | 0.15 | -29.10 |
| | 10:13:30 | 15.61 | 7.17 | 2088.84 | 4.42 | 0.12 | -41.23 |
| | 10:15:18 | 15.70 | 7.15 | 2085.11 | 2.32 | 0.11 | -50.50 |
| | 10:17:06 | 15.70 | 7.13 | 2087.70 | 2.70 | 0.10 | -58.51 |
| Variance in Last 3 Readings | | 0.01 | -0.06 | 3.64 | -2.13 | -0.03 | -12.13 |
| | | 0.09 | -0.02 | -3.73 | -2.10 | -0.01 | -9.27 |
| | | 0.00 | -0.02 | 2.59 | 0.38 | -0.01 | -8.01 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 30.83 ft
Pump Placement from TOC 24.84 ft

Well Information:

Well Id PMA-MW-2S
Well Diameter 2 in
Well Total Depth 27.34 ft
Depth to Top of Screen 22.34 ft
Screen Length 5 ft
Depth to Water 17.55 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 362 mL
Calculated Sample Rate 72 sec
Sample Rate 72 sec
Stabilized Drawdown 0.15 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [$\mu\text{S}/\text{cm}$] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|----------|----------|---------|----------------------------------|----------------|------------------|----------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 11:34:14 | 14.52 | 8.11 | 904.05 | 24.30 | 0.82 | -32.41 |
| | 11:35:26 | 14.89 | 7.94 | 907.09 | 26.30 | 0.78 | -17.10 |
| | 11:36:38 | 15.23 | 7.81 | 906.00 | 26.80 | 0.80 | -12.00 |
| | 11:37:50 | 15.43 | 7.70 | 905.61 | 25.10 | 0.84 | -7.05 |
| | 11:39:04 | 15.54 | 7.61 | 906.28 | 21.90 | 0.89 | -4.76 |
| Variance in Last 3 Readings | | 0.34 | -0.13 | -1.09 | 0.50 | 0.02 | 5.10 |
| | | 0.20 | -0.11 | -0.39 | -1.70 | 0.04 | 4.95 |
| | | 0.11 | -0.09 | 0.67 | -3.20 | 0.05 | 2.29 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 65.04 ft
Pump Placement from TOC 58.77 ft

Well Information:

Well Id PMA-MW-2M
Well Diameter 2 in
Well Total Depth 61.27 ft
Depth to Top of Screen 56.27 ft
Screen Length 5 ft
Depth to Water 17.90 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 553 mL
Calculated Sample Rate 110 sec
Sample Rate 110 sec
Stabilized Drawdown 0.09 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [μ S/cm] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|----------|----------|---------|--------------------|----------------|------------------|----------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 11:08:27 | 14.06 | 7.06 | 1981.92 | 8.41 | 0.29 | 1.60 |
| | 11:10:17 | 14.71 | 7.13 | 1970.56 | 12.10 | 0.20 | -9.25 |
| | 11:12:07 | 14.89 | 7.20 | 1951.40 | 11.80 | 0.15 | -20.78 |
| | 11:13:57 | 15.00 | 7.25 | 1955.24 | 9.80 | 0.12 | -32.51 |
| | 11:15:47 | 15.07 | 7.28 | 1950.08 | 7.77 | 0.11 | -40.60 |
| Variance in Last 3 Readings | | 0.18 | 0.07 | -19.16 | -0.30 | -0.05 | -11.53 |
| | | 0.11 | 0.05 | 3.84 | -2.00 | -0.03 | -11.73 |
| | | 0.07 | 0.03 | -5.16 | -2.03 | -0.01 | -8.09 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 30.90 ft
Pump Placement from TOC 24.90 ft

Well Information:

Well Id PMA-MW-3S
Well Diameter 2 in
Well Total Depth 27.40 ft
Depth to Top of Screen 22.40 ft
Screen Length 5 ft
Depth to Water 17.80 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 362 mL
Calculated Sample Rate 72 sec
Sample Rate 72 sec
Stabilized Drawdown 0.12 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [$\mu\text{S}/\text{cm}$] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|----------|----------|---------|----------------------------------|----------------|------------------|----------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 12:38:35 | 16.28 | 8.27 | 2090.82 | 3.50 | 0.39 | 22.59 |
| | 12:39:47 | 16.37 | 8.13 | 2094.20 | 2.69 | 0.37 | 22.38 |
| | 12:40:59 | 16.38 | 8.02 | 2095.42 | 2.44 | 0.36 | 22.22 |
| | 12:42:11 | 16.41 | 7.92 | 2095.98 | 2.24 | 0.34 | 22.16 |
| | 12:43:23 | 16.46 | 7.83 | 2100.34 | 2.07 | 0.32 | 22.10 |
| Variance in Last 3 Readings | | 0.01 | -0.11 | 1.22 | -0.25 | -0.01 | -0.16 |
| | | 0.03 | -0.10 | 0.56 | -0.20 | -0.02 | -0.06 |
| | | 0.05 | -0.09 | 4.36 | -0.17 | -0.02 | -0.06 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 75.31 ft
Pump Placement from TOC 59.31 ft

Well Information:

Well Id PMA-MW-3M
Well Diameter 2 in
Well Total Depth 61.81 ft
Depth to Top of Screen 56.81 ft
Screen Length 5 ft
Depth to Water 17.94 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 610 mL
Calculated Sample Rate 121 sec
Sample Rate 121 sec
Stabilized Drawdown 1.0 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [$\mu\text{S}/\text{cm}$] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|----------|-----------------------|----------------------|----------------------------------|-------------------------|-------------------------|----------------------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 12:08:27 | 15.12 | 8.78 | 2260.68 | 4.15 | 0.10 | -61.79 |
| | 12:10:28 | 15.34 | 9.06 | 2253.80 | 8.32 | 0.07 | -66.72 |
| | 12:12:29 | 15.26 | 9.26 | 2267.58 | 4.65 | 0.06 | -59.76 |
| | 12:14:32 | 15.33 | 9.38 | 2257.59 | 4.02 | 0.05 | -56.61 |
| | 12:16:33 | 15.44 | 9.46 | 2253.83 | 4.00 | 0.04 | -53.77 |
| Variance in Last 3 Readings | | -0.08 0.07 0.11 | 0.20 0.12 0.08 | 13.78 -9.99 -3.76 | -3.67 -0.63 -0.02 | -0.01 -0.01 -0.01 | 6.96 3.15 2.84 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 25.88 ft
Pump Placement from TOC 22.88 ft

Well Information:

Well Id PMA-MW-4S
Well Diameter 2 in
Well Total Depth 25.38 ft
Depth to Top of Screen 20.38 ft
Screen Length 5 ft
Depth to Water 15.58 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 334 mL
Calculated Sample Rate 66 sec
Sample Rate 66 sec
Stabilized Drawdown 0 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [$\mu\text{S}/\text{cm}$] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|----------|----------|---------|----------------------------------|----------------|------------------|----------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 13:35:39 | 15.79 | 7.11 | 2170.74 | 9.07 | 0.16 | -21.83 |
| | 13:36:45 | 15.70 | 7.11 | 2261.23 | 7.47 | 0.16 | -22.37 |
| | 13:37:51 | 15.80 | 7.10 | 2349.20 | 7.06 | 0.15 | -24.26 |
| | 13:38:57 | 15.84 | 7.11 | 2345.27 | 6.93 | 0.13 | -25.95 |
| | 13:40:03 | 15.78 | 7.12 | 2347.29 | 5.45 | 0.12 | -27.17 |
| Variance in Last 3 Readings | | 0.10 | -0.01 | 87.97 | -0.41 | -0.01 | -1.89 |
| | | 0.04 | 0.01 | -3.93 | -0.13 | -0.02 | -1.69 |
| | | -0.06 | 0.01 | 2.02 | -1.48 | -0.01 | -1.22 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 74.80 ft
Pump Placement from TOC 70.88 ft

Well Information:

Well Id PMA-MW-4D
Well Diameter 2 in
Well Total Depth 73.38 ft
Depth to Top of Screen 68.38 ft
Screen Length 5 ft
Depth to Water 16.50 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 607 mL
Calculated Sample Rate 121 sec
Sample Rate 121 sec
Stabilized Drawdown 0.02 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [μ S/cm] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|----------|----------|---------|--------------------|----------------|------------------|----------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 13:07:07 | 15.93 | 7.35 | 1710.13 | 1.49 | 0.17 | 7.32 |
| | 13:09:08 | 15.93 | 7.24 | 1728.36 | 1.54 | 0.14 | -8.34 |
| | 13:11:09 | 16.06 | 7.17 | 1734.29 | 1.04 | 0.12 | -23.36 |
| | 13:13:10 | 16.11 | 7.13 | 1740.14 | 0.88 | 0.11 | -33.28 |
| | 13:15:11 | 16.02 | 7.10 | 1730.48 | 0.91 | 0.09 | -41.33 |
| Variance in Last 3 Readings | | 0.13 | -0.07 | 5.93 | -0.50 | -0.02 | -15.02 |
| | | 0.05 | -0.04 | 5.85 | -0.16 | -0.01 | -9.92 |
| | | -0.09 | -0.03 | -9.66 | 0.03 | -0.02 | -8.05 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 60.37 ft
Pump Placement from TOC 54.48 ft

Well Information:

Well Id PMA-MW-5M
Well Diameter 2 in
Well Total Depth 56.98 ft
Depth to Top of Screen 51.98 ft
Screen Length 5 ft
Depth to Water 17.25 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 527 mL
Calculated Sample Rate 105 sec
Sample Rate 105 sec
Stabilized Drawdown 0.03 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [$\mu\text{S}/\text{cm}$] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|---------|----------|---------|----------------------------------|----------------|------------------|----------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 9:35:07 | 13.99 | 7.29 | 2492.16 | 2.16 | 0.42 | -19.64 |
| | 9:36:52 | 14.35 | 7.43 | 2487.20 | 1.29 | 0.29 | -21.49 |
| | 9:38:37 | 14.48 | 7.51 | 2490.92 | 1.43 | 0.22 | -21.43 |
| | 9:40:22 | 14.57 | 7.56 | 2499.02 | 0.96 | 0.18 | -20.88 |
| | 9:42:07 | 14.62 | 7.58 | 2519.02 | 0.95 | 0.16 | -20.34 |
| Variance in Last 3 Readings | | 0.13 | 0.08 | 3.72 | 0.14 | -0.07 | 0.06 |
| | | 0.09 | 0.05 | 8.10 | -0.47 | -0.04 | 0.55 |
| | | 0.05 | 0.02 | 20.00 | -0.01 | -0.02 | 0.54 |

Notes:



SmartTroll

2/9/2015

Low-Flow System

ISI Low-Flow Log

Project Information:

Operator Name LAB
Company Name Golder Associates
Project Name W.G. Krummrich
Site Name PCB

Pump Information:

Pump Model/Type SS Monsoon
Tubing Type LDPE
Tubing Diameter 0.19 in
Tubing Length 104.68 ft
Pump Placement from TOC 98.72 ft

Well Information:

Well Id PMA-MW-6D
Well Diameter 2 in
Well Total Depth 101.22 ft
Depth to Top of Screen 96.22 ft
Screen Length 5 ft
Depth to Water 14.50 ft

Pumping Information:

Final Pumping Rate 300 mL/min
System Volume 774 mL
Calculated Sample Rate 154 sec
Sample Rate 154 sec
Stabilized Drawdown 0.02 ft

Low-Flow Sampling Stabilization Summary

| | Time | Temp [C] | pH [pH] | Cond [$\mu\text{S}/\text{cm}$] | Turb [NTU] | RDO [mg/L] | ORP [mV] |
|-----------------------------|---------|------------------------|------------------------|----------------------------------|-------------------------|-------------------------|--------------------------|
| Stabilization Settings | | | +/-0.2 | +/-0.1 +/-3% | +/-1 +/-10% | +/-0.2 +/-10% | +/-20 |
| Last 5 Readings | 8:58:05 | 15.97 | 7.32 | 1132.42 | 4.90 | 0.19 | 20.67 |
| | 9:00:39 | 15.84 | 7.27 | 1140.61 | 4.12 | 0.16 | 6.13 |
| | 9:03:13 | 15.88 | 7.25 | 1141.45 | 1.99 | 0.14 | -5.78 |
| | 9:05:47 | 15.86 | 7.24 | 1143.27 | 1.89 | 0.13 | -14.75 |
| | 9:08:21 | 15.80 | 7.24 | 1141.03 | 1.68 | 0.12 | -23.13 |
| Variance in Last 3 Readings | | 0.04 -0.02 -0.06 | -0.02 -0.01 0.00 | 0.84 1.82 -2.24 | -2.13 -0.10 -0.21 | -0.02 -0.01 -0.01 | -11.91 -8.97 -8.38 |

Notes:

**APPENDIX B
CHAINS-OF-CUSTODY**

Chain of Custody Record

Regulatory Program: DV NPDE RCR Other:

TestAmerica Laboratories, Inc.

| | | | | | | | | | | |
|---|--|--|-------------|------------------------------|---|--|--|---|--|--|
| Client Contact | | Project Manager: Amanda Derhake | | | Site Contact: Lori Bindner | | Date: <u>2/9/15</u> | COC No: <u>1</u> of <u>2</u> COCs | | |
| Golder Associates Inc. 820 South Main Street St. Charles, MO 63301 (636) 724-9191 Phone (636) 724-9323 FAX Project Name: 1Q15 PCB GW Sampling-1403345 Site: Solutia WG Krummrich Facility P O # 42447936 | | Tel/Fax: 636-724-9191 Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR <input type="checkbox"/> WORKING TAT if different from Below Standard <input checked="" type="checkbox"/> 2 week <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day | | | Lab Contact: Michele Kersey | | Carrier: FedEx | Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.: | | |
| Sample Identification | | Sample Date | Sample Time | Sample Type (C=Comp, G=Grab) | Matrix | # of Cont. | Filtered Sample (Y/N) Perform MS/MSD (Y/N) Total PCBs by 680 | Sample Specific Notes: | | |
| | | 4/4/15 | 1041 | G | W | 2 | 2 | | | |
| | | 1/10/15 | 1018 | | | 2 | N | 2 | | |
| | | 1/10/15 | | | | 2 | N | 2 | | |
| | | 1/16/15 | | | | 2 | N | 2 | | |
| | | 1/16/15 | | | | 2 | N | 2 | | |
| | | 1/16/15 | | | | 2 | N | 2 | | |
| | | 1/16/15 | | | | 2 | N | 2 | | |
| | | 1/16/15 | | | | 2 | N | 2 | | |
| | | 1/16/15 | | | | 2 | N | 2 | | |
| | | 1/16/15 | | | | 2 | N | 2 | | |
| | | 1/16/15 | | | | 2 | N | 2 | | |
|  | | | | | | | 680-109773 Chain of Custody | | | |
| Preservation Used: 1=Ice, 2=HCl, 3=H ₂ SO ₄ , 4=HNO ₃ , 5=NaOH, 6= Other | | | | | | | Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months | | | |
| Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. | | | | | | | | | | |
| <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammab <input type="checkbox"/> Skin <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown | | | | | | | | | | |
| Special Instructions/QC Requirements & Comments: <i>1.4/3.0/2.0(CF) 1.1/27/1.7°C</i> | | | | | | | | | | |
| Custody Seals Intact: <input type="checkbox"/> <input type="checkbox"/> No | | Custody Seal No.: <u>419400/419397/336641</u> | | | Cooler Temp. (°C): Obs'd: _____ Corr'd: _____ | | Therm ID No.: _____ | | | |
| Relinquished by: <i>A. B. Brown</i> | | Company: <u>Golder</u> | | | Date/Time: <u>2/9/15</u> | Received by: _____ | Company: _____ | Date/Time: _____ | | |
| Relinquished by: | | Company: _____ | | | Date/Time: _____ | Received by: _____ | Company: _____ | Date/Time: _____ | | |
| Relinquished by: <u>680-109773</u> | | Company: _____ | | | Date/Time: _____ | Received in Laboratory by: <u>T. A. Savo</u> | Company: _____ | Date/Time: <u>02/10/15 0950</u> | | |

Chain of Custody Record

Regulatory Program: DV NPDE RCR Other:

TestAmerica Laboratories, Inc.

| | | | | | | | | |
|---|--|--|-------------|------------------------------|---|-------------------------|---|---|
| Client Contact | | Project Manager: Amanda Derhake | | | Site Contact: Lori Bindner | | Date: <u>2/9/15</u> | COC No: <u>2</u> of <u>2</u> COCs |
| Golder Associates Inc. 820 South Main Street St. Charles, MO 63301 (636) 724-9191 Phone (636) 724-9323 FAX Project Name: 1Q15 PCB GW Sampling-1403345 Site: Solutia WG Krummrich Facility P O # 42447936 | | Tel/Fax: 636-724-9191 Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR <input type="checkbox"/> WORKING TAT if different from Below Standard <input checked="" type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day | | | Lab Contact: Michele Kersey | | Carrier: <u>FedEx</u> | Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.: |
| Sample Identification | | Sample Date | Sample Time | Sample Type (C=Comp, G=Grab) | Matrix | # of Cont. | Filtered Sample (Y/N) Perform MS / MSD (Y/N) Total PCBs by 80 | Sample Specific Notes: |
| <u>PMA-MW-5M-0215</u> | | <u>2/9/15</u> | <u>0943</u> | <u>G</u> | <u>W</u> | <u>2</u> | | |
| <u>PMA-MW-6D-0215</u> | | <u>1</u> | <u>0908</u> | <u>L</u> | <u>L</u> | <u>2</u> | | |
| Preservation Used: 1=Ice, 2=HCl; 3=H2SO4; 4=HNO3; 5=NaOH; 6= Other _____ | | | | | | | | |
| Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. | | | | | | | | |
| <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammab <input type="checkbox"/> Skin <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown | | | | | | | | |
| Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) | | | | | | | | |
| <input type="checkbox"/> Return to Client <input checked="" type="checkbox"/> Disposal by Lab <input type="checkbox"/> Archive for _____ Months | | | | | | | | |
| Special Instructions/QC Requirements & Comments: <u>1.4/3.0/2.0 (CF) 1.1/2.7/1.7°C</u> | | | | | | | | |
| Custody Seals Intact: <input type="checkbox"/> <input type="checkbox"/> No | | Custody Seal No: <u>419406/334641/419397</u> | | | Cooler Temp. (°C): Obs'd: _____ Corr'd: _____ | | Therm ID No.: _____ | |
| Relinquished by: <u>Jr Bindner</u> | | Company: <u>Golder</u> | | Date/Time: <u>2/9/15</u> | Received by: _____ | Company: _____ | Date/Time: _____ | |
| Relinquished by: _____ | | Company: _____ | | Date/Time: _____ | Received by: _____ | Company: _____ | Date/Time: _____ | |
| Relinquished by: <u>680-109773</u> | | Company: _____ | | Date/Time: _____ | Received in Laboratory by: <u>L. Banda</u> | Company: <u>TA SAV.</u> | Date/Time: <u>02-10-15 0956</u> | |

APPENDIX C
QUALITY ASSURANCE REPORT



QUALITY ASSURANCE REPORT

**PCB GROUNDWATER QUALITY
ASSESSMENT PROGRAM
SOLUTIA INC., W.G. KRUMMRICH FACILITY
SAUGET, ILLINOIS**

Prepared For: Solutia Inc.
575 Maryville Centre Drive
St. Louis, MO 63141 USA

Submitted By: Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA

April 2015

140-3345

A world of
capabilities
delivered locally





Table of Contents

| | | |
|-----|--|---|
| 1.0 | INTRODUCTION..... | 1 |
| 2.0 | POLYCHLORINATED BIPHENYLS | 2 |
| 2.1 | Receipt Condition and Sample Holding Times | 3 |
| 2.2 | Blanks..... | 3 |
| 2.3 | Surrogate Spike Recoveries | 3 |
| 2.4 | Laboratory Control Sample Recoveries | 3 |
| 2.5 | Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples | 3 |
| 2.6 | Analytical Duplicates | 3 |
| 2.7 | Results Reported From Dilutions..... | 4 |
| 3.0 | SUMMARY..... | 4 |
| 4.0 | REFERENCES..... | 6 |



1.0 INTRODUCTION

Golder Associates Inc. (Golder) completed a review of analytical data for the groundwater samples collected on February 9, 2015 at the Solutia Inc. (Solutia) W.G. Krummrich (WGK) facility (Site) in Sauget, Illinois. Golder collected a total of fourteen (14) samples from groundwater monitoring wells as part of the 1st Quarter 2015 (1Q15) PCB Groundwater Quality Assessment Program (PCB). Ten (10) groundwater samples, one (1) equipment blank (EB), one (1) analytical duplicate (AD) and one (1) matrix spike/matrix spike duplicate (MS/MSD) pair were prepared. Groundwater monitoring locations were on the WGK facility. The samples were submitted to the TestAmerica Laboratories, Inc. (TestAmerica) facility located in Savannah, Georgia for analysis using United States Environmental Protection Agency (USEPA) Method 680. Samples submitted to TestAmerica were analyzed for polychlorinated biphenyls (PCBs). The analytical results were placed into one (1) sample delivery group (SDG) as described in the table below:

| Sample Delivery Group (SDG) | Sample Identification |
|-----------------------------|-----------------------|
| KPM064 | PMA-MW-1M-0215 |
| | PMA-MW-1S-0215 |
| | PMA-MW-2M-0215 |
| | PMA-MW-2M-0215-AD |
| | PMA-MW-2S-0215 |
| | PMA-MW-2S-0215-EB |
| | PMA-MW-3M-0215 |
| | PMA-MW-3S-0215 |
| | PMA-MW-4D-0215 |
| | PMA-MW-4S-0215 |
| | PMA-MW-5M-0215 |
| | PMA-MW-6D-0215 |

The samples were collected and analyzed in general accordance with the Revised PCB Groundwater Quality Assessment Program Work Plan (Work Plan) (Solutia 2009). Groundwater samples were analyzed for polychlorinated biphenyls (PCBs) using USEPA Method 680. In addition, the EB, AD and MS/MSD pair were submitted and analyzed for PCBs.

Golder completed validation of the analytical data following the general guidelines in Section 3.4 Data Review and Validation of the Work Plan. The Work Plan specifies that the most recent version of the national data validation guidelines be used for data review. The following guidelines were generally used:

- USEPA Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review, EPA-540-R-08-01, June 2008



These documents are hereafter referred to as the "functional guidelines". If there was a conflict between the functional guidelines and the quality control criteria specified in the analytical method, the method-specific criteria were used. The SDGs were prepared as a Level IV data report package containing quality control information and raw data. Golder completed Level III review of 100% of the analytical data and Level IV review of 10% of the analytical data.

Data that has been qualified by the data validator has been added to the laboratory report. The qualifiers indicate data that did not meet acceptance criteria and corrective actions were not successful or not performed. Laboratory data qualifiers are defined below:

- U – The analyte was analyzed for but not detected
- J – The analyte was detected and the result is less than the reporting limit (RL) but greater than or equal to the method detection limit (MDL) and the concentration is an approximate value
- D - Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D
- F1 – MS/MSD Recovery exceeds the control limits
- F2 – MS/MSD relative percent difference (RPD) exceeds control limits

Golder data qualifiers are defined below:

- U – The analyte was analyzed for but not detected
- J – The analyte was detected and the result is considered an estimated value
- D – The analyte was analyzed at a dilution

Sections 2 and 3 summarize the specific instances where quality control criteria in the functional guidelines were not met. As specified in the functional guidelines, if the non-adherence to quality control criteria is slight, professional judgment was used in qualification of the data. However, if the non-adherence is significant, qualification and rejection of the data may be necessary.

Following data validation, the qualified data were summarized in tables, which are included in the main body of the report.

2.0 POLYCHLORINATED BIPHENYLS

Samples were collected from ten (10) groundwater monitoring locations and analyzed for PCBs. One (1) AD sample was collected from sampling location, PMA-MW-2M. One (1) EB, associated with PMA-MW-2S was prepared and shipped for laboratory analysis. The samples were submitted to TestAmerica, placed into one (1) data package or SDG (KPM064), and were prepared and analyzed using USEPA Method 680. Samples were validated in general accordance with the functional guidelines. Results of the validation are summarized below.



2.1 Receipt Condition and Sample Holding Times

The SDG Case Narrative, chain-of-custody, login sample receipt checklist, and analysis dates were reviewed to verify analytical method holding times and proper preservation upon sampling. Samples were received by TestAmerica in good condition.

2.2 Blanks

Laboratory and field blanks, including method blanks and equipment blanks are prepared and analyzed to determine if contamination occurred as a result of laboratory or field activities.

Laboratory method blanks were performed for each laboratory system as outlined for each analytical method to evaluate whether cross contamination occurred during laboratory analysis activities. Results for the method blanks were non-detect.

One (1) EB, associated with sample PMA-MW-2S, was collected during the 1Q15 event to assess the effectiveness of the decontamination procedure. There were no detections in the EB.

2.3 Surrogate Spike Recoveries

Samples to be analyzed for PCBs were spiked with surrogate compound decachlorobiphenyl-13C12 prior to analysis, to evaluate overall laboratory performance. Surrogate recovery was not obtained for samples PMA-MW-1M, PMA-MW-2M, PMA-MW-2M-AD, PMA-MW-4S, PMA-MW-4D, and PMA-MW-6D because the extract was diluted for analysis. Result qualifications are shown in Section 3.0.

2.4 Laboratory Control Sample Recoveries

A laboratory control sample (LCS) is analyzed on each laboratory system to evaluate the analytical method accuracy and laboratory performance. LCS recoveries were within acceptance criteria.

2.5 Matrix Spike/Matrix Spike Duplicate (MS/MSD) Samples

MS/MSD samples are analyzed to determine long term precision and accuracy of the analytical method on various matrices. One (1) MS/MSD pair is sampled for every twenty (20) field samples. One (1) MS/MSD pair was collected during the 1Q15 event associated with sample PMA-MW-1S. MS/MSD accuracy data was outside acceptance limits for PCB analytes except nonachlorobiphenyl. MS/MSD precision data was outside acceptance limits for PCB analytes. Data qualification was not required.

2.6 Analytical Duplicates

One (1) AD is collected for every ten (10) field samples to determine the overall precision of field and laboratory methods. One (1) AD was collected during the 1Q15 event associated with sample PMA-MW-2M. The relative percent difference (RPD) between the sample, PMA-MW-2M, and the AD, PMA-MW-2M-AD, did not exceed 25%; therefore, data qualification was not required.



2.7 Results Reported From Dilutions

PCB samples, PMA-MW-1M, PMA-MW-2M, PMA-MW-2M-AD, and PMA-MW-4S required dilutions due to high levels of target analytes or initial appearance. Reporting limits were adjusted to reflect the dilution. PMA-MW-4D and PMA-MW-6D were diluted due to internal standard recovery on the initial run being outside limits. Analytes that have historically been detected in PMA-MW-4D and PMA-MW-6D were diluted out; therefore, non-diluted results have been reported in Table 2 for PMA-MW-4D and PMA-MW-6D. Result qualifications are shown in Section 3.0.

3.0 SUMMARY

Golder validated the data collected during the 1Q15 sampling event from the Solutia Inc. WGK facility in general accordance with the Work Plan and USEPA functional guidelines. Although some data required qualifications due to quality control criteria that were not achieved, the data were deemed usable. Where a positive result was qualified as estimated, the analyte should be considered present. Similarly, a result that was qualified as an estimated reporting limit should be considered not present for the purposes of this program, although the limit itself may not be precise. The completeness for the entire data set was 100%.

**Qualification Summary Table**

| Quality Control Issue | Compound(s) | Qualifier | Samples Affected |
|--|--|-----------|---------------------------------------|
| Compounds analyzed at a dilution | Monochlorobiphenyl, Dichlorobiphenyl, Trichlorobiphenyl, Tetrachlorobiphenyl, Pentachlorobiphenyl, Hexachlorobiphenyl, Heptachlorobiphenyl | D | PMA-MW-2M, PMA-MW-2M-AD and PMA-MW-4S |
| Surrogates diluted out | Monochlorobiphenyl, Dichlorobiphenyl, Trichlorobiphenyl, Tetrachlorobiphenyl, Pentachlorobiphenyl, Hexachlorobiphenyl, Heptachlorobiphenyl | J | PMA-MW-2M, PMA-MW-2M-AD and PMA-MW-4S |
| Internal standard recovery not within limits | Dichlorobiphenyl and Monochlorobiphenyl | J | PMA-MW-4D and PMA-MW-6D |



4.0 REFERENCES

Solutia Inc, 2009. Revised PCB Groundwater Quality Assessment Program Work Plan, W.G. Krummrich Facility, Sauget, IL, Prepared by URS Corporation, May 2009.

USEPA, 2008. Contract Laboratory Program national Functional Guidelines for Superfund Organic Methods Data Review.

**APPENDIX D
GROUNDWATER ANALYTICAL RESULTS
(INCLUDING DATA VALIDATION REPORTS)**



Level IV Data Validation Summary
Solutia Inc., W.G. Krummrich, Sauget, Illinois
1Q15 PCB Groundwater Quality Assessment

Company Name: Golder Associates
Project Name: WGK-1Q15 PCB
Reviewer: L. Bindner
Laboratory: TestAmerica
SDG#: KPM064
Matrix: Water

Project Manager: A. Derhake
Project Number: 140-3345
Sample Date: February 2015

Analytical Method: PCB (680)

Sample Names: PMA-MW-1S-0215, PMA-MW-1M-0215, PMA-MW-2S-0215, PMA-MW-2S-0215-EB, PMA-MW-2M-0215, PMA-MW-2M-0215-AD, PMA-MW-3S-0215, PMA-MW-3M-0215, PMA-MW-4S-0215, PMA-MW-4D-0215, PMA-MW-5M-0215, and PMA-MW-6D-0215

Field Information

- a) Sampling dates noted?
 - b) Does the laboratory narrative indicate deficiencies?

Comments:

PCBs: Samples PMA-MW-1M-0215, PMA-MW-2M-0215, PMA-MW-2M-0215-AD, PMA-MW-4S-0215, PMA-MW-4D-0215, and PMA-MW-6D-0215 required a dilution prior to analysis, reporting limits were adjusted accordingly. Surrogate recovery for samples PMA-MW-1M-0215, PMA-MW-2M-0215, PMA-MW-2M-0215-AD, PMA-MW-4S-0215, PMA-MW-4D-0215, and PMA-MW-6D-0215 were below the calibration range, elevated reporting limits are provided. MS/MSD recovery for sample PMA-MW-1S in batch 371009 were outside control limits.

Chain-of-Custody (COC)

- a) Was the COC signed by both field and laboratory personnel?
b) Were samples received in good condition?

Comments: Some samples were received at 1.1°C and 1.6°C, outside the 4°C +/-2°C criteria.

General

- a) Were hold times met for sample analysis?
 - b) Were the correct preservatives used?
 - c) Was the correct method used?
 - d) Any sample dilutions noted?

Comments: Detections in diluted analysis were qualified. Internal standard recoveries for PMA-MW-4D and PMA-MW-6D were not within limits and samples were run at a dilution. Non-diluted samples are reported, qualification required for detections.

Calibrations

- a) Initial calibration analyzed at the appropriate frequency and met the appropriate standards?

b) Continuing calibrations analyzed at the appropriate frequency and met the appropriate standards?

Comments: None

**Blanks**

- a) Were blanks (trip, equipment, method) performed at required frequency?
b) Were analytes detected in any blanks?

YES NO NA

Comments: Equipment blank PMA-MW-2S-0215-EB was submitted with SDG KPM064.

Matrix Spike/Matrix Spike Duplicate (MS/MSD)

- a) Was MS/MSD accuracy criteria met?
b) Was MS/MSD precision criteria met?

YES NO NA

Comments: MS/MSD exceeded control limits, low, with the exception of nonachlorobiphenyl, for PMA-MW-1S. Qualification not required.

Laboratory Control Sample (LCS)

- a) LCS analyzed at the appropriate frequency and met appropriate standards?

YES NO NA

Comments: None

Surrogate (System Monitoring) Compounds

- a) Surrogate compounds analyzed at the appropriate frequency and met appropriate standards?

YES NO NA

Comments: Surrogates were not obtained for samples PMA-MW-1M-0215, PMA-MW-2M-0215, PMA-MW-2M-0215-AD, PMA-MW-4S-0215, PMA-MW-4D-0215, and PMA-MW-6D-0215 because the extract was diluted for analysis. Qualification required.

Duplicates

- a) Were field duplicates collected?
b) Was field duplicate precision criteria met?

YES NO NA

Comments: Duplicate sample PMA-MW-2M-0215-AD was submitted with SDG KPM064.

Additional Comments: Ion abundance criteria not met for m/e 127 for samples PMA-MW-1S, PMA-MW-1M, PMA-MW-2S, PMA-MW-2M, PMA-MW-3S, PMA-MW-3M, PMA-MW-4S, PMA-MW-4D, and PMA-MW-5M. M/e 127 is not critical therefore deficiency is minor and qualification not required.

**Qualifications:**

| Quality Control Issue | Compound(s) | Qualifier | Samples Affected |
|--|--|-----------|---------------------------------------|
| Compounds analyzed at a dilution | Monochlorobiphenyl, Dichlorobiphenyl, Trichlorobiphenyl, Tetrachlorobiphenyl, Pentachlorobiphenyl, Hexachlorobiphenyl, Heptachlorobiphenyl | D | PMA-MW-2M, PMA-MW-2M-AD and PMA-MW-4S |
| Surrogates diluted out | Monochlorobiphenyl, Dichlorobiphenyl, Trichlorobiphenyl, Tetrachlorobiphenyl, Pentachlorobiphenyl, Hexachlorobiphenyl, Heptachlorobiphenyl | J | PMA-MW-2M, PMA-MW-2M-AD and PMA-MW-4S |
| Internal standard recovery not within limits | Dichlorobiphenyl and Monochlorobiphenyl | J | PMA-MW-4D and PMA-MW-6D |


SDG KPM064

Sample Results from:

**PMA-MW-1S
PMA-MW-1M
PMA-MW-2S
PMA-MW-2M
PMA-MW-3S
PMA-MW-3M
PMA-MW-4S
PMW-MW-4D
PMA-MW-5M
PMA-MW-6D**

TestAmerica

THE LEADER IN ENVIRONMENTAL TESTING



ANALYTICAL REPORT

TestAmerica Laboratories, Inc.

TestAmerica Savannah
5102 LaRoche Avenue
Savannah, GA 31404
Tel: (912)354-7858

TestAmerica Job ID: 680-109773-1

TestAmerica Sample Delivery Group: KPM064
Client Project/Site: 1Q15 PCB GW Sampling - 1403345
Revision: 1

For:
Solutia Inc.
575 Maryville Centre Dr.
Saint Louis, Missouri 63141

Attn: Mr. Jerry Rinaldi

Michele Kersey

Authorized for release by:
3/24/2015 11:48:08 AM

Michele Kersey, Project Manager I
(912)354-7858
michele.kersey@testamericainc.com

LINKS

Review your project
results through

Total Access

Have a Question?

Ask
The
Expert

Visit us at:
www.testamericainc.com

The test results in this report meet all 2003 NELAC and 2009 TNI requirements for accredited parameters, exceptions are noted in this report. This report may not be reproduced except in full, and with written approval from the laboratory. For questions please contact the Project Manager at the e-mail address or telephone number listed on this page.

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

LAB 3/24/15

Table of Contents

| | |
|---------------------------------|----|
| Cover Page | 1 |
| Table of Contents | 2 |
| Case Narrative | 3 |
| Sample Summary | 4 |
| Method Summary | 5 |
| Definitions | 6 |
| Client Sample Results | 7 |
| QC Sample Results | 19 |
| QC Association | 21 |
| Chronicle | 22 |
| Chain of Custody | 25 |
| Receipt Checklists | 27 |
| Certification Summary | 28 |

Case Narrative

Client: Solutia Inc.
Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1
SDG: KPM064

Job ID: 680-109773-1

Laboratory: TestAmerica Savannah

Narrative

CASE NARRATIVE

Client: Solutia Inc.

Project: 1Q15 PCB GW Sampling - 1403345

Report Number: 680-109773-1

With the exceptions noted as flags or footnotes, standard analytical protocols were followed in the analysis of the samples and no problems were encountered or anomalies observed. In addition all laboratory quality control samples were within established control limits, with any exceptions noted below. Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. In the event of interference or analytes present at high concentrations, samples may be diluted. For diluted samples, the reporting limits are adjusted relative to the dilution required.

RECEIPT

The samples were received on 2/10/2015 9:50 AM; the samples arrived in good condition, properly preserved and, where required, on ice. The temperatures of the 3 coolers at receipt time were 1.1° C, 1.7° C and 2.7° C.

NOTE: Report revised to include additional runs for select samples at client request.

POLYCHLORINATED BIPHENYLS (PCBs)

Samples PMA-MW-1S-0215 (680-109773-1), PMA-MW-1M-0215 (680-109773-2), PMA-MW-2S-0215 (680-109773-3), PMA-MW-2S-0215-EB (680-109773-4), PMA-MW-2M-0215 (680-109773-5), PMA-MW-2M-0215-AD (680-109773-6), PMA-MW-3S-0215 (680-109773-7), PMA-MW-3M-0215 (680-109773-8), PMA-MW-4S-0215 (680-109773-9), PMA-MW-4D-0215 (680-109773-10), PMA-MW-5M-0215 (680-109773-11) and PMA-MW-6D-0215 (680-109773-12) were analyzed for polychlorinated biphenyls (PCBs) in accordance with EPA Method 680. The samples were prepared on 02/13/2015 and analyzed on 02/14/2015 and 02/17/2015.

Decachlorobiphenyl-13C12 failed the surrogate recovery criteria low for PMA-MW-4D-0215 (680-109773-10), PMA-MW-6D-0215 (680-109773-12), PMA-MW-1M-0215 (680-109773-2), PMA-MW-2M-0215 (680-109773-5), PMA-MW-2M-0215-AD (680-109773-6), PMA-MW-4S-0215 (680-109773-9). Refer to the QC report for details.

The following sample(s) was diluted due to the nature of the sample matrix : PMA-MW-1M-0215 (680-109773-2), PMA-MW-2M-0215 (680-109773-5), PMA-MW-2M-0215-AD (680-109773-6), PMA-MW-4S-0215 (680-109773-9), PMA-MW-4D-0215 (680-109773-10), PMA-MW-6D-0215 (680-109773-12). As such, surrogate recoveries are below the calibration range or are not reported, and elevated reporting limits (RLs) are provided.

Several analytes exceeded the recovery criteria low for the MS and MSD of sample PMA-MW-1S-0215 (680-109773-1) in batch 680-371009.

Refer to the QC report for details.

Samples PMA-MW-1M-0215 (680-109773-2)[10X], PMA-MW-2M-0215 (680-109773-5)[10X], PMA-MW-2M-0215-AD (680-109773-6)[10X], PMA-MW-4S-0215 (680-109773-9)[10X], PMA-MW-4D-0215 (680-109773-10)[10X] and PMA-MW-6D-0215 (680-109773-12)[10X] required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No additional analytical or quality issues were noted, other than those described above or in the Definitions/Glossary page.

Sample Summary

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

| Lab Sample ID | Client Sample ID | Matrix | Collected | Received |
|---------------|-------------------|--------|----------------|----------------|
| 680-109773-1 | PMA-MW-1S-0215 | Water | 02/09/15 10:41 | 02/10/15 09:50 |
| 680-109773-2 | PMA-MW-1M-0215 | Water | 02/09/15 10:18 | 02/10/15 09:50 |
| 680-109773-3 | PMA-MW-2S-0215 | Water | 02/09/15 11:41 | 02/10/15 09:50 |
| 680-109773-4 | PMA-MW-2S-0215-EB | Water | 02/09/15 11:50 | 02/10/15 09:50 |
| 680-109773-5 | PMA-MW-2M-0215 | Water | 02/09/15 11:17 | 02/10/15 09:50 |
| 680-109773-6 | PMA-MW-2M-0215-AD | Water | 02/09/15 11:17 | 02/10/15 09:50 |
| 680-109773-7 | PMA-MW-3S-0215 | Water | 02/09/15 12:45 | 02/10/15 09:50 |
| 680-109773-8 | PMA-MW-3M-0215 | Water | 02/09/15 12:17 | 02/10/15 09:50 |
| 680-109773-9 | PMA-MW-4S-0215 | Water | 02/09/15 13:42 | 02/10/15 09:50 |
| 680-109773-10 | PMA-MW-4D-0215 | Water | 02/09/15 13:16 | 02/10/15 09:50 |
| 680-109773-11 | PMA-MW-5M-0215 | Water | 02/09/15 09:43 | 02/10/15 09:50 |
| 680-109773-12 | PMA-MW-6D-0215 | Water | 02/09/15 09:08 | 02/10/15 09:50 |

4

TestAmerica Savannah

Method Summary

Client: Solutia Inc.
Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1
SDG: KPM064

| Method | Method Description | Protocol | Laboratory |
|--------|--|----------|------------|
| 680 | Polychlorinated Biphenyls (PCBs) (GC/MS) | EPA | TAL SAV |

Protocol References:

EPA = US Environmental Protection Agency

5

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

TestAmerica Savannah

Definitions/Glossary

Client: Solutia Inc.
Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1
SDG: KPM064

Qualifiers

GC/MS Semi VOA

| Qualifier | Qualifier Description |
|-----------|---|
| U | Indicates the analyte was analyzed for but not detected. |
| F1 | MS and/or MSD Recovery exceeds the control limits |
| F2 | MS/MSD RPD exceeds control limits |
| D | Surrogate or matrix spike recoveries were not obtained because the extract was diluted for analysis; also compounds analyzed at a dilution may be flagged with a D. |

Glossary

| Abbreviation | These commonly used abbreviations may or may not be present in this report. |
|----------------|---|
| % | Listed under the "D" column to designate that the result is reported on a dry weight basis |
| %R | Percent Recovery |
| CFL | Contains Free Liquid |
| CNF | Contains no Free Liquid |
| DER | Duplicate error ratio (normalized absolute difference) |
| Dil Fac | Dilution Factor |
| DL, RA, RE, IN | Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample |
| DLC | Decision level concentration |
| MDA | Minimum detectable activity |
| EDL | Estimated Detection Limit |
| MDC | Minimum detectable concentration |
| MDL | Method Detection Limit |
| ML | Minimum Level (Dioxin) |
| NC | Not Calculated |
| ND | Not detected at the reporting limit (or MDL or EDL if shown) |
| PQL | Practical Quantitation Limit |
| QC | Quality Control |
| RER | Relative error ratio |
| RL | Reporting Limit or Requested Limit (Radiochemistry) |
| RPD | Relative Percent Difference, a measure of the relative difference between two points |
| TEF | Toxicity Equivalent Factor (Dioxin) |
| TEQ | Toxicity Equivalent Quotient (Dioxin) |

Client Sample Results

Client: Solutia Inc.
 Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1
 SDG: KPM064

Client Sample ID: PMA-MW-1S-0215

Date Collected: 02/09/15 10:41

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-1

Matrix: Water

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|----------|----------|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 0.10 | U | 0.10 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Dichlorobiphenyl | 0.10 | U | 0.10 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Trichlorobiphenyl | 0.10 | U | 0.10 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Tetrachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Pentachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Hexachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Heptachlorobiphenyl | 0.31 | U | 0.31 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Octachlorobiphenyl | 0.31 | U | 0.31 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Nonachlorobiphenyl | 0.52 | U | 0.52 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| DCB Decachlorobiphenyl | 0.52 | U | 0.52 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| Surrogate | | | | | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | | %Recovery | Qualifer | Limits | | | 02/13/15 16:18 | 02/14/15 17:10 | 1 |
| | | 74 | | 25 - 113 | | | | | |

7

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-1M-0215

Lab Sample ID: 680-109773-2

Date Collected: 02/09/15 10:18

Matrix: Water

Date Received: 02/10/15 09:50

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|------------------|------------------|-----|---------------|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Dichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Trichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Tetrachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Pentachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Hexachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Heptachlorobiphenyl | 3.2 | U | 3.2 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Octachlorobiphenyl | 3.2 | U | 3.2 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Nonachlorobiphenyl | 5.3 | U | 5.3 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| DCB Decachlorobiphenyl | 5.3 | U | 5.3 | | ug/L | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |
| Surrogate | %Recovery | Qualifier | | Limits | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | 0 | D | | 25 - 113 | | | 02/13/15 16:18 | 02/14/15 17:39 | 10 |

7

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-2S-0215

Date Collected: 02/09/15 11:41

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-3

Matrix: Water

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|------|----------|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 0.11 | U | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Dichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Trichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Tetrachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Pentachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Hexachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Heptachlorobiphenyl | 0.33 | U | 0.33 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Octachlorobiphenyl | 0.33 | U | 0.33 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Nonachlorobiphenyl | 0.55 | U | 0.55 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| DCB Decachlorobiphenyl | 0.55 | U | 0.55 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |
| Surrogate | | | | | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | 70 | | | 25 - 113 | | | 02/13/15 16:18 | 02/14/15 18:07 | 1 |

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-2S-0215-EB

Lab Sample ID: 680-109773-4

Date Collected: 02/09/15 11:50

Matrix: Water

Date Received: 02/10/15 09:50

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|------|----------|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 0.11 | U | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Dichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Trichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Tetrachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Pentachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Hexachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Heptachlorobiphenyl | 0.32 | U | 0.32 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Octachlorobiphenyl | 0.32 | U | 0.32 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Nonachlorobiphenyl | 0.54 | U | 0.54 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| DCB Decachlorobiphenyl | 0.54 | U | 0.54 | | ug/L | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| Surrogate | | | | | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | | | 72 | | | | 02/13/15 16:18 | 02/14/15 18:36 | 1 |
| | | | | 25 - 113 | | | | | |



7

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1
SDG: KPM064

Client Sample ID: PMA-MW-2M-0215

Date Collected: 02/09/15 11:17
Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-5

Matrix: Water

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 4.7 | DQ | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Dichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Trichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Tetrachlorobiphenyl | 2.2 | U | 2.2 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Pentachlorobiphenyl | 2.2 | U | 2.2 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Hexachlorobiphenyl | 2.2 | U | 2.2 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Heptachlorobiphenyl | 3.3 | U | 3.3 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Octachlorobiphenyl | 3.3 | U | 3.3 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Nonachlorobiphenyl | 5.5 | U | 5.5 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| DCB Decachlorobiphenyl | 5.5 | U | 5.5 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | 0 | D | 25 - 113 | | | | 02/13/15 16:18 | 02/14/15 19:04 | 10 |

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-2M-0215-AD

Lab Sample ID: 680-109773-6

Date Collected: 02/09/15 11:17

Matrix: Water

Date Received: 02/10/15 09:50

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|------------------|------------------|---------------|-----|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 3.9 | DJ | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Dichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Trichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Tetrachlorobiphenyl | 2.2 | U | 2.2 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Pentachlorobiphenyl | 2.2 | U | 2.2 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Hexachlorobiphenyl | 2.2 | U | 2.2 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Heptachlorobiphenyl | 3.3 | U | 3.3 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Octachlorobiphenyl | 3.3 | U | 3.3 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Nonachlorobiphenyl | 5.5 | U | 5.5 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| DCB Decachlorobiphenyl | 5.5 | U | 5.5 | | ug/L | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | 0 | D | 25 - 113 | | | | 02/13/15 16:18 | 02/14/15 19:32 | 10 |



7



TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.
 Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1
 SDG: KPM064

Client Sample ID: PMA-MW-3S-0215

Date Collected: 02/09/15 12:45
 Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-7
 Matrix: Water

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|------|----------|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 0.39 | | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Dichlorobiphenyl | 0.12 | | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Trichlorobiphenyl | 0.11 U | | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Tetrachlorobiphenyl | 0.21 U | | 0.21 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Pentachlorobiphenyl | 0.21 U | | 0.21 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Hexachlorobiphenyl | 0.21 U | | 0.21 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Heptachlorobiphenyl | 0.32 U | | 0.32 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Octachlorobiphenyl | 0.32 U | | 0.32 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Nonachlorobiphenyl | 0.53 U | | 0.53 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| DCB Decachlorobiphenyl | 0.53 U | | 0.53 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |
| Surrogate | | | | | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | 67 | | | 25 - 113 | | | 02/13/15 16:18 | 02/14/15 20:01 | 1 |

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-3M-0215

Lab Sample ID: 680-109773-8

Date Collected: 02/09/15 12:17

Matrix: Water

Date Received: 02/10/15 09:50

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|-----------|------|----------|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 0.76 | | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Dichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Trichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Tetrachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Pentachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Hexachlorobiphenyl | 0.22 | U | 0.22 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Heptachlorobiphenyl | 0.33 | U | 0.33 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Octachlorobiphenyl | 0.33 | U | 0.33 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Nonachlorobiphenyl | 0.54 | U | 0.54 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| DCB Decachlorobiphenyl | 0.54 | U | 0.54 | | ug/L | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |
| Surrogate | | | | | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | 69 | | | 25 - 113 | | | 02/13/15 16:18 | 02/14/15 20:29 | 1 |

7

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-4S-0215

Date Collected: 02/09/15 13:42

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-9

Matrix: Water

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|------------------|------------------|-----|---------------|------|----------------|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 1.7 | DJ | 1.0 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Dichlorobiphenyl | 7.0 | DJ | 1.0 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Trichlorobiphenyl | 13 | DJ | 1.0 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Tetrachlorobiphenyl | 14 | DJ | 2.1 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Pentachlorobiphenyl | 10 | DJ | 2.1 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Hexachlorobiphenyl | 17 | DJ | 2.1 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Heptachlorobiphenyl | 15 | DJ | 3.1 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Octachlorobiphenyl | 3.1 | U | 3.1 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Nonachlorobiphenyl | 5.2 | U | 5.2 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| DCB Decachlorobiphenyl | 5.2 | U | 5.2 | | ug/L | 02/13/15 16:18 | 02/14/15 20:57 | 10 | |
| Surrogate | %Recovery | Qualifier | | Limits | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | 0 | D | | 25 - 113 | | | 02/13/15 16:18 | 02/14/15 20:57 | 10 |

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-4D-0215

Lab Sample ID: 680-109773-10

Date Collected: 02/09/15 13:16

Matrix-Water

Date Received: 02/10/15 09:50

| Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS) | | | | | | | | | |
|--|--------|-----------|-----------|---------|------|----------------|----------------|----------|---------|
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Monochlorobiphenyl | 0.11 | U | 0.11 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Dichlorobiphenyl | 0.59 | S | 0.11 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Trichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Tetrachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Pentachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Hexachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Heptachlorobiphenyl | 0.32 | U | 0.32 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Octachlorobiphenyl | 0.32 | U | 0.32 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Nonachlorobiphenyl | 0.53 | U | 0.53 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| DCB Decachlorobiphenyl | 0.53 | U | 0.53 | | ug/L | 02/13/15 16:18 | 02/14/15 21:26 | | 1 |
| Surrogate | | %Recovery | Qualifier | Limits | | Prepared | Analyzed | Dil Fac | |
| <i>Decachlorobiphenyl-13C12</i> | | 67 | | 25, 113 | | 02/13/15 16:18 | 02/14/15 21:26 | | |

| Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS) - DL | | | | | | | | | |
|---|-----------|-----------|----------|-----|------|----------------|----------------|----------|---------|
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Monochlorobiphenyl | 1.1 | U | 1.1 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Dichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Trichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Tetrachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Pentachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Hexachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Heptachlorobiphenyl | 3.2 | U | 3.2 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Octachlorobiphenyl | 3.2 | U | 3.2 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Nonachlorobiphenyl | 5.3 | U | 5.3 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| DCB Decachlorobiphenyl | 5.3 | U | 5.3 | | ug/L | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac | |
| Decachlorobiphenyl-13C12 | 0 | D | 25 - 113 | | | 02/13/15 16:18 | 02/17/15 14:48 | | 10 |

TestAmerica Savannah

LAB 3|24|15

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-5M-0215

Lab Sample ID: 680-109773-11

Date Collected: 02/09/15 09:43

Matrix: Water

Date Received: 02/10/15 09:50

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|---------------------------------|-----------|-----------------|---------------|----------|------|---|-----------------|-----------------|----------------|
| Monochlorobiphenyl | 0.10 | U | 0.10 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Dichlorobiphenyl | 0.10 | U | 0.10 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Trichlorobiphenyl | 0.10 | U | 0.10 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Tetrachlorobiphenyl | 0.20 | U | 0.20 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Pentachlorobiphenyl | 0.20 | U | 0.20 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Hexachlorobiphenyl | 0.20 | U | 0.20 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Heptachlorobiphenyl | 0.30 | U | 0.30 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Octachlorobiphenyl | 0.30 | U | 0.30 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Nonachlorobiphenyl | 0.50 | U | 0.50 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| DCB Decachlorobiphenyl | 0.50 | U | 0.50 | | ug/L | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |
| Surrogate | | | | | | | | | |
| <i>Decachlorobiphenyl-13C12</i> | <i>68</i> | <i>Qualifer</i> | <i>Limits</i> | | | | <i>Prepared</i> | <i>Analyzed</i> | <i>Dil Fac</i> |
| | | | | 25 - 113 | | | 02/13/15 16:18 | 02/14/15 21:54 | 1 |

7

TestAmerica Savannah

Client Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG·KPM064

Client Sample ID: PMA-MW-6D-0215

Lab Sample ID: 680-109773-12

Date Collected: 02/09/15 09:08

Matrix: Water

Date Received: 02/10/15 09:50

| Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS) | | | | | | | | | |
|--|-----------|-----------|----------|-----|------|----------------|----------------|----------|---------|
| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
| Monochlorobiphenyl | 0.22 | S | 0.11 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Dichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Trichlorobiphenyl | 0.11 | U | 0.11 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Tetrachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Pentachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Hexachlorobiphenyl | 0.21 | U | 0.21 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Heptachlorobiphenyl | 0.32 | U | 0.32 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Octachlorobiphenyl | 0.32 | U | 0.32 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Nonachlorobiphenyl | 0.53 | U | 0.53 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| DCB Decachlorobiphenyl | 0.53 | U | 0.53 | | ug/L | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |
| Surrogate | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac | |
| Decachlorobiphenyl-13C12 | 70 | | 25 - 113 | | | 02/13/15 16:18 | 02/14/15 22:23 | | 1 |

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS) - DL

| Analyte | Result | Qualifier | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|-----------|-----------|----------|-----|------|---|----------------|----------------|---------|
| Monochlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Dichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Trichlorobiphenyl | 1.1 | U | 1.1 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Tetrachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Pentachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Hexachlorobiphenyl | 2.1 | U | 2.1 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Heptachlorobiphenyl | 3.2 | U | 3.2 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Octachlorobiphenyl | 3.2 | U | 3.2 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Nonachlorobiphenyl | 5.3 | U | 5.3 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| DCB Decachlorobiphenyl | 5.3 | U | 5.3 | | ug/L | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |
| Surrogate | %Recovery | Qualifier | Limits | | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | 0 | D | 25 - 113 | | | | 02/13/15 16:18 | 02/17/15 15:17 | 10 |

QC Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS)

Lab Sample ID: MB 680-370876/13-A

Matrix: Water

Analysis Batch: 371009

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 370876

| Analyte | MB MB | | RL | MDL | Unit | D | Prepared | Analyzed | Dil Fac |
|--------------------------|--------|------------------|------------------|---------------|------|---|-----------------|-----------------|----------------|
| | Result | Qualifier | | | | | | | |
| Monochlorobiphenyl | 0.10 | U | 0.10 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Dichlorobiphenyl | 0.10 | U | 0.10 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Trichlorobiphenyl | 0.10 | U | 0.10 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Tetrachlorobiphenyl | 0.20 | U | 0.20 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Pentachlorobiphenyl | 0.20 | U | 0.20 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Hexachlorobiphenyl | 0.20 | U | 0.20 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Heptachlorobiphenyl | 0.30 | U | 0.30 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Octachlorobiphenyl | 0.30 | U | 0.30 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Nonachlorobiphenyl | 0.50 | U | 0.50 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| DCB Decachlorobiphenyl | 0.50 | U | 0.50 | ug/L | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |
| Surrogate | | %Recovery | Qualifier | Limits | | | Prepared | Analyzed | Dil Fac |
| Decachlorobiphenyl-13C12 | | 73 | | 25 - 113 | | | 02/13/15 16:18 | 02/14/15 15:17 | 1 |

Lab Sample ID: LCS 680-370876/14-A

Matrix: Water

Analysis Batch: 371009

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 370876

| Analyte | Spike Added | LCS LCS | | Unit | D | %Rec | Limits |
|--------------------------|----------------|------------------|------------------|---------------|---|------|----------|
| | | Result | Qualifier | | | | |
| Monochlorobiphenyl | 2.00 | 1.17 | ug/L | | | 58 | 42 - 130 |
| Dichlorobiphenyl | 2.00 | 1.28 | ug/L | | | 64 | 49 - 130 |
| Trichlorobiphenyl | 2.00 | 1.33 | ug/L | | | 66 | 51 - 130 |
| Tetrachlorobiphenyl | 4.00 | 2.80 | ug/L | | | 70 | 54 - 130 |
| Pentachlorobiphenyl | 4.00 | 2.87 | ug/L | | | 72 | 63 - 130 |
| Hexachlorobiphenyl | 4.00 | 2.95 | ug/L | | | 74 | 62 - 130 |
| Heptachlorobiphenyl | 6.00 | 4.58 | ug/L | | | 76 | 62 - 130 |
| Octachlorobiphenyl | 6.00 | 4.70 | ug/L | | | 78 | 64 - 130 |
| Nonachlorobiphenyl | 10.0 | 13.5 | ug/L | | | 135 | 70 - 195 |
| DCB Decachlorobiphenyl | 10.0 | 7.59 | ug/L | | | 76 | 59 - 130 |
| Surrogate | | %Recovery | Qualifier | Limits | | | |
| Decachlorobiphenyl-13C12 | | 75 | | 25 - 113 | | | |

Lab Sample ID: 680-109773-1 MS

Matrix: Water

Analysis Batch: 371009

Client Sample ID: PMA-MW-1S-0215

Prep Type: Total/NA

Prep Batch: 370876

| Analyte | Sample Result | Sample Qualifier | Spike Added | MS MS | | Unit | D | %Rec | Limits |
|---------------------|------------------|---------------------|----------------|--------|-----------|------|---|------|----------|
| | | | | Result | Qualifier | | | | |
| Monochlorobiphenyl | 0.10 | U | 2.10 | 0.10 | UF1 | ug/L | | 0.8 | 42 - 130 |
| Dichlorobiphenyl | 0.10 | U | 2.10 | 0.246 | F1 | ug/L | | 12 | 49 - 130 |
| Trichlorobiphenyl | 0.10 | U | 2.10 | 0.490 | F1 | ug/L | | 23 | 51 - 130 |
| Tetrachlorobiphenyl | 0.21 | U | 4.19 | 1.11 | F1 | ug/L | | 26 | 54 - 130 |
| Pentachlorobiphenyl | 0.21 | U | 4.19 | 1.81 | F1 | ug/L | | 43 | 63 - 130 |
| Hexachlorobiphenyl | 0.21 | U | 4.19 | 1.94 | F1 | ug/L | | 46 | 62 - 130 |
| Heptachlorobiphenyl | 0.31 | U | 6.29 | 3.04 | F1 | ug/L | | 48 | 62 - 130 |
| Octachlorobiphenyl | 0.31 | U | 6.29 | 3.18 | F1 | ug/L | | 51 | 64 - 130 |
| Nonachlorobiphenyl | 0.52 | U | 10.5 | 9.31 | | ug/L | | 89 | 70 - 195 |

TestAmerica Savannah

QC Sample Results

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Method: 680 - Polychlorinated Biphenyls (PCBs) (GC/MS) (Continued)

| Lab Sample ID: 680-109773-1 MS | | | | Client Sample ID: PMA-MW-1S-0215 | | | | | | | | |
|--------------------------------|---------------|------------------|-------------|----------------------------------|--------------|-----------|----|----------|-------|--|--|--|
| Matrix: Water | | | | Prep Type: Total/NA | | | | | | | | |
| Analysis Batch: 371009 | | | | Prep Batch: 370876 | | | | | | | | |
| Analyte | Sample Result | Sample Qualifier | Spike Added | MS Result | MS Qualifier | Unit ug/L | D | %Rec | %Rec. | | | |
| DCB Decachlorobiphenyl | 0.52 | U | 10.5 | 5.19 | F1 | | 50 | 59 - 130 | | | | |
| Surrogate | MS %Recovery | MS Qualifier | Limits | | | | | | | | | |
| Decachlorobiphenyl-13C12 | 50 | | 25 - 113 | | | | | | | | | |

| Lab Sample ID: 680-109773-1 MSD | | | | Client Sample ID: PMA-MW-1S-0215 | | | | | | |
|---------------------------------|---------------|------------------|-------------|----------------------------------|---------------|-----------|-----|----------|-------|-----|
| Matrix: Water | | | | Prep Type: Total/NA | | | | | | |
| Analysis Batch: 371009 | | | | Prep Batch: 370876 | | | | | | |
| Analyte | Sample Result | Sample Qualifier | Spike Added | MSD Result | MSD Qualifier | Unit ug/L | D | %Rec | %Rec. | RPD |
| Monochlorobiphenyl | 0.10 | U | 2.10 | 1.46 | F2 | | 69 | 42 - 130 | 196 | 40 |
| Dichlorobiphenyl | 0.10 | U | 2.10 | 1.60 | F2 | | 76 | 49 - 130 | 147 | 40 |
| Trichlorobiphenyl | 0.10 | U | 2.10 | 1.66 | F2 | | 79 | 51 - 130 | 109 | 40 |
| Tetrachlorobiphenyl | 0.21 | U | 4.20 | 3.46 | F2 | | 82 | 54 - 130 | 103 | 40 |
| Pentachlorobiphenyl | 0.21 | U | 4.20 | 3.47 | F2 | | 83 | 63 - 130 | 63 | 40 |
| Hexachlorobiphenyl | 0.21 | U | 4.20 | 3.60 | F2 | | 86 | 62 - 130 | 60 | 40 |
| Heptachlorobiphenyl | 0.31 | U | 6.29 | 5.53 | F2 | | 88 | 62 - 130 | 58 | 40 |
| Octachlorobiphenyl | 0.31 | U | 6.29 | 5.41 | F2 | | 86 | 64 - 130 | 52 | 40 |
| Nonachlorobiphenyl | 0.52 | U | 10.5 | 15.7 | F2 | | 149 | 70 - 195 | 51 | 40 |
| DCB Decachlorobiphenyl | 0.52 | U | 10.5 | 8.75 | F2 | | 83 | 59 - 130 | 51 | 40 |
| Surrogate | MSD %Recovery | MSD Qualifier | Limits | | | | | | | |
| Decachlorobiphenyl-13C12 | 80 | | 25 - 113 | | | | | | | |

8

TestAmerica Savannah

QC Association Summary

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

GC/MS Semi VOA

Prep Batch: 370876

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 680-109773-1 | PMA-MW-1S-0215 | Total/NA | Water | 680 | |
| 680-109773-1 MS | PMA-MW-1S-0215 | Total/NA | Water | 680 | |
| 680-109773-1 MSD | PMA-MW-1S-0215 | Total/NA | Water | 680 | |
| 680-109773-2 | PMA-MW-1M-0215 | Total/NA | Water | 680 | |
| 680-109773-3 | PMA-MW-2S-0215 | Total/NA | Water | 680 | |
| 680-109773-4 | PMA-MW-2S-0215-EB | Total/NA | Water | 680 | |
| 680-109773-5 | PMA-MW-2M-0215 | Total/NA | Water | 680 | |
| 680-109773-6 | PMA-MW-2M-0215-AD | Total/NA | Water | 680 | |
| 680-109773-7 | PMA-MW-3S-0215 | Total/NA | Water | 680 | |
| 680-109773-8 | PMA-MW-3M-0215 | Total/NA | Water | 680 | |
| 680-109773-9 | PMA-MW-4S-0215 | Total/NA | Water | 680 | |
| 680-109773-10 | PMA-MW-4D-0215 | Total/NA | Water | 680 | |
| 680-109773-10 - DL | PMA-MW-4D-0215 | Total/NA | Water | 680 | |
| 680-109773-11 | PMA-MW-5M-0215 | Total/NA | Water | 680 | |
| 680-109773-12 | PMA-MW-6D-0215 | Total/NA | Water | 680 | |
| 680-109773-12 - DL | PMA-MW-6D-0215 | Total/NA | Water | 680 | |
| LCS 680-370876/14-A | Lab Control Sample | Total/NA | Water | 680 | |
| MB 680-370876/13-A | Method Blank | Total/NA | Water | 680 | |

Analysis Batch: 371009

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|---------------------|--------------------|-----------|--------|--------|------------|
| 680-109773-1 | PMA-MW-1S-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-1 MS | PMA-MW-1S-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-1 MSD | PMA-MW-1S-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-2 | PMA-MW-1M-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-3 | PMA-MW-2S-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-4 | PMA-MW-2S-0215-EB | Total/NA | Water | 680 | 370876 |
| 680-109773-5 | PMA-MW-2M-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-6 | PMA-MW-2M-0215-AD | Total/NA | Water | 680 | 370876 |
| 680-109773-7 | PMA-MW-3S-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-8 | PMA-MW-3M-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-9 | PMA-MW-4S-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-10 | PMA-MW-4D-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-11 | PMA-MW-5M-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-12 | PMA-MW-6D-0215 | Total/NA | Water | 680 | 370876 |
| LCS 680-370876/14-A | Lab Control Sample | Total/NA | Water | 680 | 370876 |
| MB 680-370876/13-A | Method Blank | Total/NA | Water | 680 | 370876 |

Analysis Batch: 371246

| Lab Sample ID | Client Sample ID | Prep Type | Matrix | Method | Prep Batch |
|--------------------|------------------|-----------|--------|--------|------------|
| 680-109773-10 - DL | PMA-MW-4D-0215 | Total/NA | Water | 680 | 370876 |
| 680-109773-12 - DL | PMA-MW-6D-0215 | Total/NA | Water | 680 | 370876 |

TestAmerica Savannah



Lab Chronicle

Client: Solutia Inc.
Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1
SDG: KPM064

Client Sample ID: PMA-MW-1S-0215

Date Collected: 02/09/15 10:41
Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-1
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 968.2 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 1 | 968.2 mL | 1.0 mL | 371009 | 02/14/15 17:10 | NED | TAL SAV |

Client Sample ID: PMA-MW-1M-0215

Date Collected: 02/09/15 10:18
Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-2
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 949.7 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 10 | 949.7 mL | 1.0 mL | 371009 | 02/14/15 17:39 | NED | TAL SAV |

Client Sample ID: PMA-MW-2S-0215

Date Collected: 02/09/15 11:41
Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-3
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 911.2 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 1 | 911.2 mL | 1.0 mL | 371009 | 02/14/15 18:07 | NED | TAL SAV |

Client Sample ID: PMA-MW-2S-0215-EB

Date Collected: 02/09/15 11:50
Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-4
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 928 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 1 | 928 mL | 1.0 mL | 371009 | 02/14/15 18:36 | NED | TAL SAV |

Client Sample ID: PMA-MW-2M-0215

Date Collected: 02/09/15 11:17
Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-5
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 915.3 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 10 | 915.3 mL | 1.0 mL | 371009 | 02/14/15 19:04 | NED | TAL SAV |

Client Sample ID: PMA-MW-2M-0215-AD

Date Collected: 02/09/15 11:17
Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-6
Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 916.7 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 10 | 916.7 mL | 1.0 mL | 371009 | 02/14/15 19:32 | NED | TAL SAV |

TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.
Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1
SDG: KPM064

Client Sample ID: PMA-MW-3S-0215

Date Collected: 02/09/15 12:45

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-7

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 945.5 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 1 | 945.5 mL | 1.0 mL | 371009 | 02/14/15 20:01 | NED | TAL SAV |

Client Sample ID: PMA-MW-3M-0215

Date Collected: 02/09/15 12:17

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-8

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 922.3 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 1 | 922.3 mL | 1.0 mL | 371009 | 02/14/15 20:29 | NED | TAL SAV |

Client Sample ID: PMA-MW-4S-0215

Date Collected: 02/09/15 13:42

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-9

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 954.7 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 10 | 954.7 mL | 1.0 mL | 371009 | 02/14/15 20:57 | NED | TAL SAV |

Client Sample ID: PMA-MW-4D-0215

Date Collected: 02/09/15 13:16

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-10

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 941 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 1 | 941 mL | 1.0 mL | 371009 | 02/14/15 21:26 | NED | TAL SAV |
| Total/NA | Prep | 680 | DL | | 941 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | DL | 10 | 941 mL | 1.0 mL | 371246 | 02/17/15 14:48 | NED | TAL SAV |

Client Sample ID: PMA-MW-5M-0215

Date Collected: 02/09/15 09:43

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-11

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 995.4 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | | 1 | 995.4 mL | 1.0 mL | 371009 | 02/14/15 21:54 | NED | TAL SAV |

Client Sample ID: PMA-MW-6D-0215

Date Collected: 02/09/15 09:08

Date Received: 02/10/15 09:50

Lab Sample ID: 680-109773-12

Matrix: Water

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Prep | 680 | | | 941.5 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |

TestAmerica Savannah

Lab Chronicle

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Client Sample ID: PMA-MW-6D-0215

Lab Sample ID: 680-109773-12

Matrix: Water

Date Collected: 02/09/15 09:08

Date Received: 02/10/15 09:50

| Prep Type | Batch Type | Batch Method | Run | Dil Factor | Initial Amount | Final Amount | Batch Number | Prepared or Analyzed | Analyst | Lab |
|-----------|------------|--------------|-----|------------|----------------|--------------|--------------|----------------------|---------|---------|
| Total/NA | Analysis | 680 | | 1 | 941.5 mL | 1.0 mL | 371009 | 02/14/15 22:23 | NED | TAL SAV |
| Total/NA | Prep | 680 | DL | | 941.5 mL | 1.0 mL | 370876 | 02/13/15 16:18 | RBS | TAL SAV |
| Total/NA | Analysis | 680 | DL | 10 | 941.5 mL | 1.0 mL | 371246 | 02/17/15 15:17 | NED | TAL SAV |

Laboratory References:

TAL SAV = TestAmerica Savannah, 5102 LaRoche Avenue, Savannah, GA 31404, TEL (912)354-7858

10

TestAmerica Savannah

TestAmerica Savannah
5102 LaRoche Avenue

Chain of Custody Record

TestAmerica

Savannah, GA 31404
phone 912.354.7858 fax

THE LEADER IN ENVIRONMENTAL TESTING

TestAmerica Laboratories, Inc.

Regulatory Program: C NPDE RCR Other:

| Client Contact | | Project Manager: Amanda Derhake | | Site Contact: Lori Bindner | | Date: 29/15 | COC No: 1 of 2 COCs |
|--|-------|--|-------------|--|--------|--|--|
| Golder Associates Inc. 820 South Main Street St. Charles, MO 63301 (636) 724-9191 Phone (636) 724-9223 FAX Project Name: 1Q15 PCB GW Sampling-1403345 Site: Solutia WG Krummrich Facility PO # 42447936 | | Tel/Fax: 636-724-9191 Analysis Turnaround Time <input checked="" type="checkbox"/> CALENDAR <input type="checkbox"/> WORKING TAT if different from Below Standard 2 weeks 1 week 2 days 1 day | | Lab Contact: Michele Kersey | | Carrier: Fed Ex | Sampler: For Lab Use Only: Walk-in Client: Lab Sampling: Job / SDG No.: |
| Sample Identification | | Sample Date | Sample Time | Sample Type (C=Comp, G=Grab) | Matrix | # of Cont. | Sample Specific Notes: Total PCBs by 660 Perform MS / MSD (Y/N) Filtered Sample (Y/N) |
| PMA-MW-1S-0215 | 14/15 | 10:41 | G | W | Z | N | 2 |
| PMA-MW-1M-0215 | 1 | 10:18 | 1 | 1 | 2 | W | 2 |
| PMA-MW-1S-0215 - MS | | 10:11 | | | 2 | N | 2 |
| PMA-MW-1S-0215 - MSD | | 1 | | | 2 | N | 2 |
| PMA-MW-2S-0215 | 11/11 | | | | 2 | N | 2 |
| PMA-MW-2S-0215 - EB | | 11:50 | | | 2 | N | 2 |
| PMA-MW-2M-0215 | 11:17 | | | | 2 | N | 2 |
| PMA-MW-2M-0215 - AD | | 1 | | | 2 | N | 2 |
| PMA-MW-3S-0215 | | 12:45 | | | 2 | N | 2 |
| PMA-MW-3M-0215 | | 12:17 | | | 2 | N | 2 |
| PMA-MW-4S-0215 | | 13:42 | | | 2 | N | 2 |
| PMA-MW-4D-0215 | | 13:56 | 1 | 1 | 2 | N | 2 |
| Presented Used: <input checked="" type="checkbox"/> Ice <input type="checkbox"/> HC <input type="checkbox"/> HPSO <input type="checkbox"/> HNO3 <input type="checkbox"/> NaOH <input type="checkbox"/> Other | | | | | | | |
| Sample Disposal (A fee may be assessed if samples are retained longer than 1 month) | | | | | | | |
| Possible Hazard identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input checked="" type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammab <input type="checkbox"/> Skin <input type="checkbox"/> Poison A <input type="checkbox"/> Unknown | | | | | | | |
| Special Instructions/QC Requirements & Comments: LAB 3/24/15 | | | | | | | |
| Custody Seals Intact: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No | | Custody Seal No: 419400/419397/336641 | | Cooler Temp. (°C): Obs'd: Received by: | | Cont'd: Therm ID No.: Company: Date/Time: | |
| Relinquished by: <i>J. Gondaren</i> | | Company: <i>Golder</i> | | Date/Time: <i>2/4/15</i> | | Company: <i></i> Date/Time: <i></i> | |
| Relinquished by: <i></i> | | Company: <i></i> | | Date/Time: <i></i> | | Company: <i></i> Date/Time: <i></i> | |
| Relinquished by: <i>SOLO 109773</i> | | Company: <i>TestAmerica</i> | | Date/Time: <i></i> | | Company: <i>TA SHU</i> Date/Time: <i>D21045 D950</i> | |

Login Sample Receipt Checklist

Client: Solutia Inc.

Job Number: 680-109773-1

SDG Number: KPM064

Login Number: 109773

List Source: TestAmerica Savannah

List Number: 1

Creator: Banda, Christy S

| Question | Answer | Comment |
|--|--------|---------|
| Radioactivity wasn't checked or is </= background as measured by a survey meter. | N/A | |
| The cooler's custody seal, if present, is intact. | True | |
| Sample custody seals, if present, are intact. | True | |
| The cooler or samples do not appear to have been compromised or tampered with. | True | |
| Samples were received on ice. | True | |
| Cooler Temperature is acceptable. | True | |
| Cooler Temperature is recorded. | True | |
| COC is present. | True | |
| COC is filled out in ink and legible. | True | |
| COC is filled out with all pertinent information. | True | |
| Is the Field Sampler's name present on COC? | N/A | |
| There are no discrepancies between the containers received and the COC. | True | |
| Samples are received within Holding Time. | True | |
| Sample containers have legible labels. | True | |
| Containers are not broken or leaking. | True | |
| Sample collection date/times are provided. | True | |
| Appropriate sample containers are used. | True | |
| Sample bottles are completely filled. | True | |
| Sample Preservation Verified. | N/A | |
| There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs | True | |
| Containers requiring zero headspace have no headspace or bubble is <6mm (1/4"). | N/A | |
| Multiphasic samples are not present. | True | |
| Samples do not require splitting or compositing. | True | |
| Residual Chlorine Checked. | N/A | |

12

Certification Summary

Client: Solutia Inc.

Project/Site: 1Q15 PCB GW Sampling - 1403345

TestAmerica Job ID: 680-109773-1

SDG: KPM064

Laboratory: TestAmerica Savannah

The certifications listed below are applicable to this report.

| Authority | Program | EPA Region | Certification ID | Expiration Date |
|-----------|---------|------------|------------------|-----------------|
| Illinois | NELAP | 5 | 200022 | 11-30-15 |

13

TestAmerica Savannah

At Golder Associates we strive to be the most respected global group of companies specializing in ground engineering and environmental services. Employee owned since our formation in 1960, we have created a unique culture with pride in ownership, resulting in long-term organizational stability. Golder professionals take the time to build an understanding of client needs and of the specific environments in which they operate. We continue to expand our technical capabilities and have experienced steady growth with employees now operating from offices located throughout Africa, Asia, Australasia, Europe, North America and South America.

| | |
|---------------|-------------------|
| Africa | + 27 11 254 4800 |
| Asia | + 852 2562 3658 |
| Australasia | + 61 3 8862 3500 |
| Europe | + 356 21 42 30 20 |
| North America | + 1 800 275 3281 |
| South America | + 55 21 3095 9500 |

solutions@golder.com
www.golder.com

**Golder Associates Inc.
820 S. Main Street, Suite 100
St. Charles, MO 63301 USA
Tel: (636) 724-9191
Fax: (636) 724-9323**



Golder, Golder Associates and the GA globe design are trademarks of Golder Associates Corporation